
Physics: Section-A (Q. No. 1 to 35)

In a uniform magnetic field of 0.049 T, a magnetic needle performs 20 complete oscillations in 5 seconds as shown. The moment of inertia of the needle is 9.8×10^{-6} kg m². If the magnitude of magnetic moment of the needle is $x \times 10^{-5}$ Am²; then the value of 'x' is:





- (1) $128 \pi^2$
- (2) $50 \pi^2$
- (3) $1280 \pi^2$
- (4) $5\pi^2$
- 2 Consider the following statements A and B and identify the correct answer:





- A. For a solar-cell, the I-V characteristics lies in the IV quadrant of the given graph.
- B. In a reverse biased pn junction diode, the current measured in (μA) , is due to majority charge carriers.
- (1) A is incorrect but B is correct.
- (2) Both A and B are correct.
- (3) Both A and B are incorrect.
- (4) A is correct but B is incorrect.
- If $x = 5 \sin\left(\pi t + \frac{\pi}{3}\right) m$ represents the motion of a particle executing simple harmonic motion, the amplitude and time period of motion, respectively, are:
 - (1) 5 m, 2 s /
- (2) 5 cm, 1 s
- (3) 5 m, 1 s
- (4) 5 cm, 2 s
- R4_English]

The graph which shows the variation of $(\frac{1}{\lambda^2})$ and its kinetic energy, E is (where λ is de Broglie wavelength of a free particle):









- The moment of inertia of a thin rod about an axis passing through its mid point and perpendicular to the rod is 2400 g cm². The length of the 400 g rod is nearly:
 - (1) 17.5 cm
- (2) 20.7 cm
- (3) 72.0 cm
- (4) 8.5 cm
- The maximum elongation of a steel wire of 1 m length if the elastic limit of steel and its Young's modulus, respectively, are 8×10^8 N m⁻² and 2×10^{11} N m⁻², is:
 - (1) 0.4 mm
- (2) 40 mm
- (3) 8 mm
- (4) 4 mm
- ${}^{290}_{82}X \xrightarrow{\alpha} Y \xrightarrow{e^+} Z \xrightarrow{\beta^-} P \xrightarrow{e^-} O$


In the nuclear emission stated above, the mass number and atomic number of the product Q respectively, are:

- (1) 286, 80
- (2) 288, 82 **ANS-3**
- (3) 286, 81
- (4) 280, 81
- A thin flat circular disc of radius 4.5 cm is placed gently over the surface of water. If surface tension of water is 0.07 Nm⁻¹, then the excess force required to take it away from the surface is:
 - (1) 198/N. . . . r
- (2) 1.98 mN ANS-4
- (3) 99 N
- (4) 19.8 mN

- A wire of length 'l' and resistance 100Ω is divided into 10 equal parts. The first 5 parts are connected in series while the next 5 parts are connected in parallel. The two combinations are again connected in series. The resistance of this final combination is:
 - ANS-1

- (1) 52Ω
- (2) 55 Ω
- (3) 60Ω
- $\frac{1}{3}$ 26 Ω
- At any instant of time t, the displacement of any 10 particle is given by 2t - 1 (Si unit) under the influence of force of 5N. The value of instantaneous power is (in SI unit):
 - (1) 5

- **(1)** 6
- (4)₁ 10
- The output (Y) of the given logic gate is similar 11 to the output of an/a: ANS-3



- (1) NOR gate
- (2) OR gate
- AND gate
- (4)) NAND gate (C)
- A tightly wound 100 turns coil of radius 12 10 cm carries a current of 7 A. The magnitude of the magnetic field at the centre of the coil is (Take permeability of free space as $4\pi \times 10^{-7}$ SI units):
 - (1) 4.4 T
- 4.4 mT **ANS-2**
- (3) 44 T
- (4)) 44 mT

- An unpolarised light beam strikes a glass surface 13 at Brewster's angle. Then ANS-3
 - (1) the refracted light will be completely polarised.
 - both the reflected and refracted light will be completely polarised.
 - the reflected light will be completely polarised but the refracted light will be partially polarised.
 - (4) the reflected light will be partially polarised.

Match List I with List II.

List I List II - (Spectral Lines of (X) (Wavelengths (nm)) Hydrogen for ANS-1 transitions from)

- A. $n_2 = 3$ to $n_1 = 2$ (7) 410.2 I.
- B. $n_2 = 4$ to $n_1 = 20$ II. 434.1
- C. $n_2 = 5$ to $n_1 = 2$ III. 656.3
- D. $n_2 = 6$ to $n_1 = 2$ IV. 486.1

Choose the correct passwer from the options given below:

- (1) A-III, B-IV, **Q**-II, D-I
- (2) A-IV, B-III, Q-I, D-II
- (3) A-I, B-II, C-I/I, D-IV
- (4) A-II, B-I, C-IV, D-III
- 15 Two bodies A and B of same mass undergo completely inelastic one dimensional collision. The body A moves with velocity v_1 while body B is at rest before collision. The velocity of the system after collision is v_2 . The ratio $v_1 : v_2$ is :
 - (1) 2:1
- \bigcirc (2) 4:1
- (4) 1:2 (3) 1:4
- 16 Match List-I with List-II.



- List-I 11) O
- (Material)

A. Diamagnetic

- \bigcirc I.
- Ferromagnetic (II. $0 > \chi \ge -1$
- C. Paramagnetic
- Π I.
- D. Non-magnetic


3

- IV. $0 < \chi < \epsilon$ (a smal
- (0)positive number)

Choose the correctanswer from the options given below:

- (1) A-II, B-I, C-III, D-IV
- (2) A-III, B-II, C-1, D-IV
- (3) A-IV, B-III, C-II, D-I
- (4) A-II, B-III, C-IV, D-I

A thermodynamic system is taken through the 17 . eyele abeda. The work done by the gas along the path be is:



- (1) 30 J-60.J
- 18 The quantities which have the same dimensions as those of solid angle are:
 - (1) stress and angle
- ANS-4
- (2) strain and arc
- (3) angular speed and stress
- (4) strain and angle
- The mass of a planet is $\frac{1}{10}$ th that of the earth and 19

its diameter is half that of the earth. The acceleration due to gravity on that planet is:

- (1). 9.8 m s^{-2}
- (2) 4.9 m s⁻² ANS-3
- (3) 3.92 m s^{-2}
- 20 In a vernier calipers, (N+1) divisions of vernier scale coincide with N divisions of main scale. If 1 MSD represents 0.1 mm, the vernier constant (in cm) is:
 - (1) $\frac{1}{100(N+1)}$
 - (3) 10(N+1) (4) $\frac{1}{10N}$
- A logic circuit provides the output Y as per the 21 following truth table:

A	B	Y
0	0	1
0	1	0
1	0	1
1	1	0

The expression for the output Y is:

- (1) $A.\overline{B} + \overline{A}$
- (3) B
- (4) $A.B + \overline{A}$

Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R. ..

> Assertion A: The potential (V) at any axial points at 2 m distance(r) from the centre of the dipole

> of dipole moment vector \overrightarrow{P} of magnitude, $4 \times 10^{-6} \,\mathrm{C} \,\mathrm{m}$, is $\pm 9 \times 10^{3} \,V$.

(Take
$$\frac{1}{4\pi \in_0} = 9 \times 10^9$$
 SI units)

Reason R: $V = \pm \frac{2P}{4\pi \epsilon_0 r^2}$, where r is the


distance of any axial point, situated at 2 m from the centre of the dipole.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true and R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.
- In an ideal transformer, the turns ratio is $\frac{N_p}{N_s} = \frac{1}{2}$. The ratio V_s : V_p is equal to (the symbols carry their usual meaning): 23
 - (2:1
- (2) 1:1
- (3) 1:4
- (4) 1:2
- 24 If the monochromatic source in Young's double slit experiment is replaced by white light, then
 - (1) there will be a central dark fringe surrounded by a few coloured fringes.
 - (2) there will be a central bright white fringe surrounded by a few coloured fringes.
 - (3) all bright fringes will be of equal width.
 - (4) interference pattern will disappear.
- 25 A bob is whirled in a horizontal plane by means of a string with an initial speed of ω rpm. The tension in the string is T. If speed becomes 2 w while keeping the same radius, the tension in the string becomes: ANS-1
- (3) $\sqrt{2}T$
- (4) T


ANS-1

A horizontal force 10 N is applied to a block A as shown in figure. The mass of blocks A and B are 2 kg and 3 kg, respectively. The blocks slide over a frictionless surface. The force exerted by block A on block B is:




- (3) 10 N
- (4) zero
- The terminal voltage of the battery, whose emf is 101 and internal resistance 1Ω , when connected through an external resistance of 4Ω as shown in the figure is:

 ANS-2



- (1) 6V
- $(2) \quad 8 V$
- (3) 10 V
- (4) 4 V
- In the following circuit, the equivalent capacitance between terminal A and terminal B is:



ANS-

- (1) $1 \mu F$
- (2) $0.5 \,\mu F$
- (3) $4 \mu F$
- (4) $2 \mu F$
- 29 Given below are two statements:

Statement I: Atoms are electrically neutral as they contain equal number of positive and negative charges.

ANS-2

Statement II: Atoms of each element are stable and emit their characteristic spectrum.

In the light of the above statements, choose the *most appropriate* answer from the options given below:


- (1) Both Statement I and Statement II are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- (3) Statement I is incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct.

In the above diagram, a strong bar magnet is moving towards solenoid-2 from solenoid-1. The direction of induced current in solenoid-1 and that in solenoid-2, respectively, are through the directions:

- (1) BA and CD
- (2) AB and CD
- (3) BA and DC
- (4) AB and DC
- 31 If c is the velocity of light in free space, the correct statements about photon among the following are:
 - A. The energy of a photon is E = hv.
 - B. The velocity of a photon is c.
 - C. The momentum of a photon, $p = \frac{hv}{c}$.
 - D. In a photon-electron collision, both total energy and total momentum are conserved.
 - E. Photon possesses positive charge.


Choose the correct answer from the options given below:

- (1) A, B, C and D only
- (2) A, C and D only
- (3) A, B, D and E only
- (4) A and B only
- A wheel of a bullock cart is rolling on a level road as shown in the figure below. If its linear speed is v in the direction shown, which one of the following options is correct (P and Q are any highest and lowest points on the wheel, respectively)?




- \mathcal{A} , Point P moves faster than point \mathcal{Q} .
- (2) Both the points P and Q move with equal speed,
- (3) Point P has zero speed.
- (4) Point P moves slower than point Q.

A light ray enters through a right angled prism at point P with the angle of incidence 30° as shown in figure. It travels through the prism parallel to its base BC and emerges along the face AC. The refractive index of the prism is:



- (1) $\frac{\sqrt{5}}{2}$ (2) $\frac{\sqrt{3}}{4}$
- (3) $\frac{\sqrt{3}}{2}$ (4) $\frac{\sqrt{5}}{4}$
- A particle moving with uniform speed in a circular path maintains:
 - (1) constant acceleration.
 - (2) constant velocity but varying acceleration.
 - (3) varying velocity and varying acceleration.
 - (4) constant velocity.
- A thin spherical shell is charged by some source. The potential difference between the two points C and P (in V) shown in the figure is:

(Take
$$\frac{1}{4\pi \in_0} = 9 \times 10^9$$
 SI units) ANS-3



- (1) 1×10^5 (2) 0.5×10^5
- (3) zero
- (4) 3×10^5

Physics: Section-B (Q. No. 36 to 50)

- 36 A parallel plate capacitor is charged by connecting it to a battery through a resistor. If I is the current in the circuit, then in the gap between the plates:
 - (1) displacement current of magnitude equal to I flows in the same direction as I.
 - (2) displacement current of magnitude equal to I flows in a direction opposite to that of I.
 - (3) displacement current of magnitude greater than I flows but can be in any direction.

(X)

(4) there is no current.

ANS-1

- A metallic bar of Young's modulus, 0.5 × 10¹¹ N m⁻² and coefficient of linear thermal expansion 10⁻⁵ °C⁻¹ length 1 m and area of cross-section 10⁻³ m² is leated from 0°C to 100°C without expansion or behiding. The compressive force developed in it is:
 - (1) $50 \times 10^3 \text{ N}$
- (2) $100 \times 10^3 \,\mathrm{N}$
- (3) $2 \times 10^3 \text{ N}$
- (4) $5 \times 10^3 \,\text{N}$

M

- The property which is not of an electromagnetic wave travelling in free space is that ANS-3
 - (1) the energy density in electric field is equal to energy density in magnetic field.
 - (2) they travel with a speed equal to $\frac{1}{\sqrt{\mu_0 \in_0}}$.
 - (3) they originate from charges moving with uniform speed.
 - (4) they are transverse in nature.

(2)

The minimum energy required to launch a satellite of mass m from the surface of earth of mass M and radius R in a circular orbit at an altitude of 2R from the surface of the earth is: ANS-4


 $(1) \quad \frac{2GmM}{3R}$

 $\frac{O}{2N} \frac{Gmn}{2N}$

 $(3) \quad \frac{GmM}{3R}$

 $\begin{array}{ccc}
O & & 5GmM \\
(4) & & 6R
\end{array}$

- Two heaters A and B have power rating of 1 kW and 2 kW, respectively. Those two are first connected in series and then in parallel to a fixed power source. The ratio of power outputs for these two cases is:
 - ases is: ANS-1
 - (1) 2:9
- (2) 1:2
- (3) 2:3
- (4) 1:1
- A 10 μ F capacitor is connected to a 210 V, 50 Hz source as shown in figure. The peak current in the circuit is nearly $(\pi = 3.14)$:



- $(1) \quad 0.93 A$
- (2) 1.20 A
- $(3) \quad 0.35 A$
- (4) 0.58 A
- 42 If the mass of the bob in a simple pendulum is increased to thrice its original mass and its length is made half its original length, then the new time

period of oscillation is $\frac{x}{2}$ times its original time period. Then the value of x is: ANS-1

- (1) $\sqrt{2}$
- (2) $2\sqrt{3}$
- (3) 4
- (4) $\sqrt{3}$
- A sheet is placed on a horizontal surface in front of a strong magnetic pole. A force is needed to:
 - A. hold the sheet there if it is magnetic.
 - B. hold the sheet there if it is non-magnetic.
 - C. move the sheet away from the pole with uniform velocity if it is conducting.
 - D. move the sheet away from the pole with uniform velocity if it is both, non-conducting and non-polar.


 ANS-1


Choose the correct statement(s) from the options given below:

- (1) A and C only
- (2) A, C and D only
- (3) Conly
- (4) B and D only

Choose the correct circuit which can achieve the bridge balance.

ANS-4





- 45 If the plates of a parallel plate capacitor connected to a battery are moved close to each other, then
 - A. the charge stored in it, increases. ANS-1
 - B. the energy stored in it, decreases.
 - C. its capacitance increases.
 - D. the ratio of charge to its potential remains the same.
 - E. the product of charge and voltage increases.


Choose the most appropriate answer from the options given below:

- (1) A, C and E only
- (2) B, D and E only
- (3) A, B and C only
- (4) A, B and E only
- An iron bar of length L has magnetic moment M. It is bent at the middle of its length such that the two arms make an angle 60° with each other. The magnetic moment of this new magnet is:


ANS-1

- (1) $\frac{M}{2}$
- (2) 2 M
- $(3) \quad \frac{M}{\sqrt{3}}$
- (4) N

47 The velocity (v) – time (t) plot of the motion of a body is shown below: CO




The acceleration (a) - time (b) graph that best suits this motion is:



48 A small telescope has an objective of focal length 140 cm and an eye piece of focal length 5.0 cm. The magnifying power of testescope for viewing a distant object is:

- (1) 28
- (2)
- (3) 32
- (4) (34)

49 The following graph represents the T-V curves of an ideal gas (where T is the temperature and Vthe volume) at three pressures P_1 , P_2 and P_3 compared with those of Charles's law represented as dotted lines.



Then the correct relation is:

- (1) $P_1 > P_3 > P_2$
- $(2) \quad P_2 > P_1 > P_3$
- (3) $P_1 > P_2 > P_3$ (4) $P_3 > P_2 > P_1$

A force defined by $F = \alpha t^2 + \beta t$ acts on a particle **50** at a given time t. The factor which is dimensionless, if α and β (are constants, is:

- (2) $\alpha \beta t$

Chemistry: Section-A (Q. No. 51 to 85)

- 'Spin only' magnetic moment is same for which 54 51 of the following ions?
 - Ti3+ Α.

- Sc^{3+} E.

Choose the most appropriate answer from the options given below: O

- (1) A and E only
- (2) B and C only
- (1) (3) A and D only
- S (4) B and D only

Match List I with List I **52** Q

O

List I

List II

(Conversion)

(Number of Faraday required)

3F A. 1 mol of H_2O to O_2 Ţ.

- B. $1 \text{ mol of } MnO_4^-$ to Π. 2F Mn^{2+}
- C. 1.5 mol of Ca from III. 1F molten CaCl₂
- D. 1 mol of FeO to Fe_2Q_6 V. Choose the correct answer from the options given below:
 - (1) A-III, B-IV, C-I, D-H
 - (2) A-II, B-III, C-I, D-10
 - (3) A-III. B-IV. C-II. D-1
 - (4) A-II, B-IV, C-I, D-III

53 Fehling's solution 'A'

- (1) alkaline copper sulphate
- (2) 'alkaline solution of sodium potassium tartrate (Rochelle, salt)
- (3) aqueous sodium oitmate
- (4) aqueous copper sulphate

56

55

Match List I with List II.

List I (Reaction)

List II (Reagents/Condition)

Anhyd.AlCl₂

ANS-2

A. $\longrightarrow 2$ $\longrightarrow 2$ $\bigcirc 0$

C. $\bigcirc^{OH} \rightarrow \bigcirc^{O}$

ΚΟΗ, Δ

D. COOK

(ii) Zn-H₂O

Choose the correct answer from the options given below:

- (1) A-III, B-I, CIII, D-IV
- (2) A-IV, B-I, C-II, D-III
- (3) A-I, B-IV, C-II, D-III
- (4) A-IV, B-I, C-III, D-II
- Which one of the following alcohols reacts instantaneously with Lucas reagent?
 - (1) $CH_3 CH_2^{\bullet C}CH OH_2^{\bullet C}CH_3$

ANS-3

(2) $CH_3 - CH_4CH_2OH$ CH_3

(3)
$$CH_3 - C - OH_3$$

 $CH_3 - C$

(4)
$$CH_3 - CH_2 CH_2 - CH_2OH$$

56 Intramolecular hydrogen bonding is present in

(1) HO

(3) HF

Match List I with List II.

ANS-4

List I

List II

(Compound)

(Shape/geometry)

- Λ . NH_3
- I. Trigonal Pyramidal
- B. BrF₅
- II. Square Planar
- C. XeF₄
- III. Octahedral
- D. SF₆
- IV. Square Pyramidal

Choose the correct answer from the options given below:

(1) A-II, B-IV, C-III, D-I

- (2) A-III, B-IV, C-I, D-II
- (3) A-II, B-III, C-IV, D-I
- (4) A-I, B-IV, C-II, D-III

58 Given below are two statements: ANS-4

Statement I: The boiling point of three isomeric pentanes follows the order

n-pentane > isopentane > neopentane

Statement II: When branching increases, the molecule attains a shape of sphere. This results in smaller surface area for contact, due to which the intermolecular forces between the spherical molecules are weak, thereby lowering the boiling point.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- (3) Statement I is incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct.

In which of the following processes entropy increases?

ANS-2

- A. A liquid evaporates to vapour.
- B. Temperature of a crystalline solid lowered from 130 K to 0 K.
- C. $2 \text{ NaHCO}_{3(s)} \rightarrow \text{Na}_2\text{CO}_{3(s)} + \text{CO}_{2(g)} + \text{H}_2\text{O}_{(g)}$
- D. $Cl_{2(g)} \rightarrow 2Cl_{(g)}$

Choose the correct answer from the options given below:

- (1) A, B and D
- (2) A, C and D
- (3) C and (3)
- (4) A and C

)

Contd...

- 1 gram of sodium hydroxide was treated with 60 25 mL of 0.75 M HCD olution, the mass of sodium hydroxide left unreacted is equal to
 - (1) 250 mg
- (2) Zero mg
- (3) 200 mg
- (4) 750 mg
- 61 Match List I with List II.

ANS-2

I	ist	I

List II (Molecule) (Number and types of bond/s between two carbon atoms)

- A. ethane
- one σ -bond and two π -bonds
- B. ethene
- II. two π-bonds
- C. carbon
- III. one σ -bond
- molecule, C2
- D. ethyne
- IV. one σ -bond and one π -bond

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-III, B-IV, C-II, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-I, B-IV, C-II, D-III
- Given below are two statements: ANS-4 62

Statement I: The boiling point of hydrides of Group 16 elements follow the order

$$H_2O > H_2Te > H_2Se > H_2S$$
.

Statement II: On the basis of molecular mass, H₂O is expected to have lower boiling point than the other members of the group but due to the presence of extensive H-bonding in H₂O, it has higher boiling point.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I is false but Statement II is true.
- (4) Both Statement I and Statement II are true.

Match List I with List II. 63 List I (Complex)

ANS-4 List II (Type of

isomerism)

- A. $\left[\text{Co}(\text{NH}_3)_5(\text{NO}_2) \right] \text{Cl}_2$
- Solvate I. isomerism
- B. $\left[\text{Co}(\text{NH}_3)_5(\text{SO}_4) \right]$ Br
- II. Linkage isomerism
- C. $\left[\text{Co}(\text{NH}_3)_6 \right] \left[\text{Cr}(\text{CN})_6 \right]$
- III. Ionization isomerism
- D. $\left[\text{Co} \left(\text{H}_2 \text{O} \right)_6 \right] \text{Cl}_3$
- IV. Coordination isomerism

Choose the correct answer from the options given below:


- (1) A-I, B-III, C-IV, D-II
- (2) A-I, B-IV, C-III, D-II
- (3) A-II, B-IV, C-III, D-I
- (4) A-II, B-III, C-IV, D-I
- 64 The highest number of helium atoms is in
 - 4 u of helium
- ANS-4
- (2) 4.g of helium
- (3), 2.271098 L of helium at STP
- (4) 4 mol of helium
- Identify the correct reagents that would bring 65 about the following transformation.

$$\bigcirc - CH_2 - CH = CH_2 \rightarrow ANS-1$$

$$\bigcirc - CH_2 - CH_2 - CH_0$$

- (1) (i) BH₃
 - (ii) H₂O₂ / OH
 - (iii) PCC
- (2) (i) BH₃
 - (ii) H₂O₂/OH
 - (iii) alk. KMnO₄
 - (iv) H_γO[⊕]
- (3) (i) H_2O/H^+
 - (ii) PCC
- (4) H₂O/H⁺ (i)
 - (ii) CrO₃

The most stable carbocation among the following is:



Arrange the folkswing elements in increasing order of electron gativity:

ANS-4

N, O, F, C, Si

Choose the correct answer from the options given below:


- $(1) Si < C < O \leq N < F$
- (2) O < F < N < 6 < Si
- (3) F < O < N < G < Si

Which plot of $\ln k$ vs $\frac{1}{T}$ is consistent with

Arrhenius equation?

68

ANS-3



Among Group 16 elements, which one does NOT show -2 oxidation state?

ANS-3

- (1) Se
- (2) Te
- (3) Po
- (4) C

Arrange the following elements in increasing order of tirst ionization enthalpy

ANS-1

Li, Be, в, с, N

Choose the correct answer from the options given below:

- (L) Li < B < Be < ℃ k N
- (2) Li < Be < C < B < N
- (3) $Li < Be < N < \bigcirc < C$
- (4) Li < Be < B < C < N

 ∞

71 Given below are two statements:

ANS-4

Statement I: Aniline does not undergo Friedel-Crafts alkylation reaction.

Statement II: Aniline cannot be prepared through Gabriel synthesis.

In the light of the above statements, choose the *correct* answer from the options given below:

- (1) Both Statemen Chand Statement II are false.
- (2) Statement I is correct but Statement II is false.
- (3) Statement I is incorrect but Statement II is true.
- (4) Both Statement Dand Statement II are true.

72 Given below are two statements:

ANS-4

Statement I: Both $\left[\bigcap_{k=0}^{\infty} \left(NH_3 \right)_6 \right]^{3+}$ and $\left[\operatorname{CoF}_6 \right]^{3-}$

complexes are octahedral but differ in their magnetic behaviour.

Statement II : $\left[\text{Col} \text{NH}_3 \right]_6^{3+}$ is diamagnetic

whereas $\left[\text{CoF}_{6}\right]^{3-}$ is paramagnetic.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement and Statement II are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I is talse but Statement II is true.
- (4) Both Statement Land Statement II are true.

- 73 The E° value for the Mn³+/Mn²+ couple is more positive than that of Cr³+/Cr²+ or Fe³+/Fe²+ due to change of

 ANS-2
- To d5 to d2 configuration
 - (2) d⁴ to d⁵ configuration
 - (3) d³ to d⁵ configuration
 - (4) d⁵ to d⁴ configuration
- 74 Match List I with List II.

List I

ANS-1

List II

of electron

Quantum Number		Info	ormation provided
A.	m_l	I. ·	shape of orbital
B.	m_s	II.	size of orbital
C.	1	III.	orientation of
			orbital
D.	n	IV.	orientation of spin

Choose the correct answer from the options given below:

- (1) **A-III**, **B-IV**, **C-I**, **D-II**
- (2) A-III, B-IV, C-II, D-I
- (3) A-II, B-I, C-IV, D-III
- (4) A-I, B-III, C-II, D-IV
- 75 For the reaction $2A \rightleftharpoons B+C$, $K_c = 4 \times 10^{-3}$. At a given time, the composition of reaction mixture
 - is: $[A] = [B] = [C] = 2 \times 10^{-3} M$. ANS-2

Then, which of the following is correct?

- (1) Reaction has a tendency to go in forward direction.
- (2) Reaction has a tendency to go in backward direction.
- (3) Reaction has gone to completion in forward direction.
- (4) Reaction is at equilibrium.

Match List I with List II. ANS-3 List II List I (Conditions) (Process) No heat exchange A. Isothermal I. process Carried out at B. Isochoric constant temperature process III. Carried out at C. Isobaric constant volume process IV. Carried out at D. Adiabatic constant pressure process

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-III, D-I
- (2) A-I, B-II, C-III, D-IV
- (3) A-II, B-III, C-IV, D-I
- (4) A-IV, B-III, C-II, D-I
- 77 In which of the following equilibria, K_p and K_q are NOT equal?
 - (1) $H_{2(g)} + I_{2(g)} \rightleftharpoons 2 HI_{(g)}$
 - (2) $CO_{(g)} + H_2O_{(g)} \rightleftharpoons CO_{2(g)} + H_{2(g)}$
 - (3) $2 \operatorname{BrCl}_{(g)} \rightleftharpoons \operatorname{Br}_{2(g)} + \operatorname{Cl}_{2(g)}$
 - $(4) \quad PCl_{5(g)} \rightleftharpoons PCl_{3(g)} + Cl_{2(g)}$
- 78 The reagents with which glucose does **not** react to give the corresponding tests/products are
 - A. Tollen's reagent
- ANS-2
- B. Schiff's reagent
- C. HCN
- D. NH₂OH
- E. NaHSO₃

Choose the correct options from the given below:

- (1) A and D
- (2) B and E
- (3) E and D
- (4) B and C
- On heating, some solid substances change from solid to vapour state without passing through liquid state. The technique used for the purification of such solid substances based on the above principle is known as

 ANS-1
 - (1) Sublimation
 - (2) Distillation
 - (3) Chromatography
 - (4) Crystallization

which reaction is **NOT** a redox reaction?

- (1) $2 \text{ KCIO}_3 + 1_2 \rightarrow 2 \text{ KIO}_3 + \text{Cl}_2$ ANS-3
- (2) $H_2 + Cl_2 \rightarrow 2 HCl$
- (3) BaCl₂ + Na₂SO₄ \rightarrow BaSO₄ + 2 NaCl
- (4) $Z_n + CuSO_4 \rightarrow ZnSO_4 + Cu$

The Henry's law constant (K_H) values of three gases (A, B, C) in water are 145, 2×10^{-5} and 35 kbar, respectively. The solubility of these gases in water follow the order:

- (1) B > C > A
- (2) A > C > B
- (3) A > B > C
- (4) B > A > C

Activation energy of any chemical reaction can be calculated if one knows the value of

- (1) probability of collision.
- ANS-3
- (2) orientation of reactant molecules during collision.
- (3) rate constant at two different temperatures.
- (4) rate constant at standard temperature.

The energy of an electron in the ground state (n = 1) for He⁺ ion is -x J, then that for an electron in n = 2 state for Be³⁺ ion in J is: ANS-4

- (1) $-\frac{x}{9}$
- (2) -4x
- (3) $-\frac{4}{9}x$
- (4) -x

The compound that will undergo S_N reaction with the fastest rate is

- (1) (1) Br
- (2)
- (3) Bi
- (4) Bi

A compound with a molecular formula of C_6H_{14} has two tertiary carbons. Its IUPAC name is:

- (1) 2-methylpentane
- (2) 2,3-dimethylbutane
- (3) 2,2-dimethylbutane
- (4) n-hexane

Chemistry: Section-B (Q. No. 86 to 100)

Given below are certain cations. Using inorganic qualitative analysis, arrange them in increasing group number from 0 to VI.

ANS-4

- A. $\Lambda 1^{3+}$
- B. Cu²⁺
- C. Ba²⁺
- D. Co²⁺
- E. Mg^{2+}

Choose the correct answer from the options given below:

- (1) B, C, A, D, E
- (3) E, C, D, B, A
- (3) E, A, B, C, D
- (4) B, A, D, C, E

The products A and B obtained in the following reactions, respectively, are

 $3ROH + PCl_3 \rightarrow 3RCl + A$

 $ROH + PCl_5 \rightarrow RCl + HCl + B$

- (1) POCl₃ and H₃PO₄
- (2) H₃PO₄ and POCl₃
- (3) H₃PO₃ and POCl₃
- (4) POCl₃ and H₃PO₃

During the preparation of Mohr's salt solution (Ferrous ammonium sulphate), which of the following acid is added to prevent hydrolysis of Fe²⁺ ion?

- (1) concentrated sulphuric acid
- (2) dilute nitric acid
- (3) dilute sulphuric acid
- (4) dilute hydrochloric acid

7 The plot of osmotic pressure (Π) vs concentration (mol L⁻¹) for a solution gives a straight line with slope 25.73 L bar mol⁻¹. The temperature at which the osmotic pressure measurement is done is:

(Use $R = 0.083 L bar mol^{-1} K^{-1}$)

ANS-4

- (1) 310°C
- (2) 25.73°C
- (3) 12.05°C
- (4) 37°C

90 The work done during reversible isothermal expansion of one mole of hydrogen gas at 25°C from pressure of 20 atmosphere to 10 atmosphere is:

(Given R = 2.0 cal $\frac{100}{100}$ mol⁻¹) ANS-1

- (1) 413.14 calorie
- (2) 413.14 calories...
- (3) 100 calories
- (4) 0 calorie
- 91 The pair of lanthanoid ions which are diamagnetic is ANS-4
 - (1) Ce^{3+} and Eu^{2+}
 - (2) Gd^{3+} and Eu^{3+}
 - (3) Pm^{3+} and Sm^{3}
 - (4) Ce^{4+} and Yb^{2+}
- 92 Identify the correct spswer. ANS-3
 - (1) BF₃ has non-zero dipole moment.
 - (2) Dipole moment of NF₃ is greater than that of NH₃.
 - (3) Three canonical forms can be drawn for CO_3^{2-} ion.
 - (4) Three resonance structures can be drawn for ozone.
- 93 Mass in grams of copper deposited by passing 9.6487 A current through a voltmeter containing copper sulphate solution for 100 seconds is:

(Given: Molar mass of Cu: 63 g mol⁻¹,

1F = 96487 C

ANS-1

- (1) 0.315 g
- (2) 31.5 g
- (3) 0.0315 g
- $m^{(4)}$ 3.15 g
- 94 Identify the major product C formed in the following reaction sequence: ANS-4

$$CH_3 - CH_2 - CH_2 - I \xrightarrow{\text{NaCN}} A$$

OH ⁻	C/D	NaOH	· C
Partial hydrolysis	5	Br_2	(major)
	10		

- (1) butylamine
- (2) butanamide
- (3) α bromobutanoic acid
- (4) propylamine $\sqrt{}$

95 Consider the following reaction in a sealed vesse at equilibrium with concentrations of

 $N_2 = 3.0 \times 10^{-3}$ M, $O_2 = 4.2 \times 10^{-3}$ M and

 $N() = 2.8 \times 10 \, \text{M}.$


ANS-3

 $2NO_{(g)} \rightleftharpoons N_2 + O_{2(g)}$

If 0.1 mol L^{-1} of $\Omega_{(g)}$ is taken in a closed vessel what will be degree of dissociation (α) of $NO_{(g)}$ at equilibrium?

- (1) 0.0889
- (2) 0.8889
- (3) 0.717
- (4) 0.00889

Major products and B formed in the following reaction sequence are



(1)
$$A =$$

$$H_3C$$

$$Br M$$

$$B =$$

$$B =$$

$$B =$$

$$(3) \quad A = (3) \quad A = (3)$$

(4)
$$A = \begin{pmatrix} H_3C \\ A = \begin{pmatrix} H_3C \\ B = \end{pmatrix} \end{pmatrix} \end{pmatrix} \end{pmatrix} \right)$$

The rate of a reaction quadruples when temperature changes from 27°C to 57°C. Calculate the energy of activation.

Given R = 8.31 K^{-1} mol⁻¹, log 4 = 0.6021

- (1) 380.4 kJ/mo
- ANS-4
- (2) 3.80 kJ/mob
- (3) 3804 kJ/mgb
- (4) 38.04 kJ/mg

Given below are two statements:

Statement I: $\left[\text{Co}(\text{NH}_3)_6\right]^{3+}$ is a homoleptic complex whereas $\left[\text{Co}(\text{NH}_3)_4 \text{Cl}_2 \right]^+$ is a heteroleptic complex.

Statement II : Complex $\left[\text{Co} \left(\text{NH}_3 \right)_6 \right]^{3+}$ has only one kind of ligands but $\left[\operatorname{Co}(\operatorname{NH}_3)_{\mathbf{4}}\operatorname{Cl}_2\right]^+$ has more than one kind of ligands.

In the light of the above statements, choose the correct answer from the options given below:

- Both Statement I and Statement II are false.
- Statement I is true but Statement II is false.
- Statement I is false but Statement II is true.
- Both Statement I and Statement II are true.

99 For the given reaction:

ANS-1

$$\begin{array}{c|c}
C = CH & \xrightarrow{KMnO_4/H^+} & \text{`p'} \\
H & & & & \text{(major product)}
\end{array}$$

'P' is

98

$$(3) \bigcirc -\overset{\parallel}{C} -\overset{\parallel}{C} -\overset{\parallel}{C}$$

A compound X contains 32% of A, 20% of B and remaining percentage of C. Then, the empirical ANS-1

formula of X is:

15

(Given atomic masses of A = 64; B = 40; C = 32 u)

- (1) ABC_3
- (2) AB₂C₂
- (3) ABC_4
- (4) A_2BC_2

Botany: Section-A (Q. No. 101 to 135)

- 101 Hind II always cuts DNA molecules at a particular point called recognition sequence and it consists ANS-1
 - (1) 6 bp
- (2) 4 bp
- (3) 10 bp
- (4) 8 bp
- 102 Given below are two statements:

Statement I: Parenchyma is living but collenchyma is dead tissue. ;

Statement II: Gymnosperms lack xylem vessels but presence of xylem vessels is the characteristic of angiosperms.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false
- Statement I is true but Statement II is false **(2)**
- Statement I is false but Statement II is true
- (4) Both Statement I and Statement II are true
- 103 Given below are two statements:

Statement I: Bt toxins are insect group specific and coded by a gene cry IAc.

Statement II: Bt toxin exists as inactive protoxin in B. thuringiensis. However, after ingestion by the insect the inactive protoxin gets converted into active form due to acidic pH of the insect gut.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false
- Statement I is true but Statement II is false **(2)**
- Statement I is false but Statement II is true (3)
- (4) Both Statement I and Statement II are true
- 104 Which one of the following can be explained on the basis of Mendel's Law of Dominance?
 - Out of one pair of factors one is dominant and the other is recessive.
 - Alleles do not show any expression and both the characters appear as such in F₂ generation.
 - Factors occur in pairs in normal diploid
 - D. The discrete unit controlling a particular character is called factor.
 - The expression of only one of the parental E. characters is found in a monohybrid cross.

Choose the correct answer from the options given below: ANS-1

- (1) A, C, D and E only
- (2) B, C and D only
- (3) A, B, C, D and E
- (4) A, B and C only

In the given figure, which component has thin These are regarded as major causes of biodiversity 111 outer walls and highly thickened inner walls? Over exploitation Α. Co-extinction Β. Mutation C. Habitat loss and fragmentation D. Migration Choose the correct option: (1) (1) A, B, C and D only (1) D (3) B (2) A, B and E only (3) A, B and D only List of endangered species was released by-(4) A, C and D only (1) WWF (2) FOAM Given below are two statements: 112 (3) IUCN (4) GEAC Statement I: Chromosomes become gradually visible under light microscope during leptotene 107 The lactose present in the growth medium of bacteria is transported to the cell by the action of: stage. Statement II: The begining of diplotene stage is (1) Acetylase recognized by dissolution of synaptonemal (2)Permease (3) Polymerase ANS-4 🤲 complex. (4) Beta-galactosidase (5) In the light of the above statements, choose the correct answer from the options given below: 108 Which one of the following is <u>not</u> a criterion for (1) Both Statement I and Statement II are Galse classification of fungi? ANS-1 Statement I is true but Statement II is false (2) (1) Mode of nutrition © Statement I is false but Statement II is true (3) (2) Mode of spore formation (4) Both Statement I and Statement II are true (3) Fruiting body (4) Morphology of mycerium 113 Formation of interfascicular cambium from fully developed parenchyma cells is an example for Inhibition of Succinic dehydrogenase enzyme by 109 (1) Redifferentiation ANS-2 malonate is a classical example of: (2) Dedifferentiation (1) Feedback inhibition (3) Maturation (2) Competitive inhibition O (4) Differentiation (3) Enzyme activation (4) Cofactor inhibition (C) 114 Tropical regions show greatest level of species S richness because ANS-4 Match List I with List II to 110 (Y)List II Tropical latitudes have remained relatively List I I. OSite of formation undisturbed for millions of years, Cence Nucleolus of glycolipid more time was available for species II. Organization like diversification. Centriole Tropical environments are more seasonal. В. the cartwheel III. Site for active C. More solar energy is available in tropics. Leucoplasts Constant environments promote triche ribosomal RNA co synthesis specialization. IV For storing E. Tropical environments are constant and D. Golgi nutrients predictable. apparatus choose the correct answer from the options given Choose the correct answer from the options given below: (1) A-II, B-III, C-I, D-I♥ (1) A and B only (2) A, B and E only (2) A-III, B-IV, C-II, D^{AD} (3) A, B and D only (3) A-I, B-II, C-III, D-IV A, C, D and E only (4) A-III, B-II, C-IV, D-I

16

R4 English

115 Spindle fibers attach to kit chromosomes during	netochores of	119 M	atch List I with List I	1	ANS-2
	_		List I		List II
()	hase	Α.	Clostridium	1.	Ethanol
(3) Telophase (4) Prop	nase		butylicum		
116 Match List I with List II		В.	Saccharomyces	П.	Streptokinase
List I	N5-Z		cerevisiae		CO
A. Two or more I.	Back cross	C.	Trichoder ma	III.	Butyric acid
alternative	(r)		polysporum		m
forms of a gene	Ö		Streptococcus sp.	IV.	Cyclosporin-A
B. Cross of F ₁ II.	Ploidy	ľ	oose the correct answ		(O
progeny with	1100		low:	Of Hon	opinons given
homozygous		(1)	A-II, B-IV, C-III, I)-I	
recessive parent	00	(2)	, ,		CO
C. Cross of F ₁ III.	Allele	(3)			ហ
progeny with		(4)			0
any of the parents	<u>M</u>	(4)	A-III, B-1, C-11, D-	1 4	Ö
D. Number of IV.	Testoross	120 Th	e capacity to generate	مانيد	
chromosome	ŭ		e capacity to general Il of the plant is called		\mathcal{O}
sets in plant	•	(1)	,		ANS-4
Choose the correct answer from the	he options given	1			
below:	œ	(2)			00
(1) A-II, B-I, C-III, D-IV	ហ័	(3)	•	ion	រោ
(2) A-III, B-IV, C-I, D-II	Ö	(4)	Totipotency		C
(3) A-IV, B-III, C-II, D-I	m				
(4) A-I, B-II, C-III, D-IV		121 Ide	entify the set of correct	ct state	ments: ANS-3
	9	A.		isneric	rare colourful and
117 Lecithin, a small molecular v	veight organic		produce nectar.		(45)
compound found in living tissue		B.	The flowers of wa	terlily	are not pollinated
	NS-1		by water.		ati-able.
(1) Phospholipids '2, Glycerides	00	C.		_	- · · · · · · · · · · · · · · · · · · ·
(3) Carbohydrates	S S		pollen grains are p		
(4) Amino acids	(T)	D.	Pollen grains of so and ribbon like.	me hyo	irophytes are long
(4) Allillo acids	Ö	, n		4 41	O
118 The equation of Verhulst-Pearl lo	gistie growth is	E.	In some hydrophy carried passively in		
	ANS-2	CI	loose the correct answ		.v.2
$\frac{dN}{dt} = rN \left[\frac{K - N}{K} \right].$	AN3-2	1	low:	CI IIOII	t the options given
From this equation, K indicates:		1	A, B, C and D only	v	
(1) Biotic potential	ao	1	A, C, D and E only	_	(CO
(2) Carrying capacity	r)	i	_		10 10
(3) Population density	Q)	1	B, C, D and E only	1	
(4) Intrinsic rate of natural incr	ease(")	1	C, D and E only		9
R4_English	2 0%	7			Contd.
"Enguen	· ω				O

- How many molecules of ATP and NADPH are required for every molecule of CO₂ fixed in the Calvin cycle?


 ANS-3
 - (1) 2 molecules of ATP and 2 molecules of NADPH
 - (2) 3 molecules of ATP and 3 molecules of NADPH
 - (3) 3 molecules of ATP and 2 molecules of NADPH
 - (4) 2 molecules of ATP and 3 molecules of NADPH
- 123 The cofactor of the enzyme carboxypeptidase is:
 - (1) Niacin
- (2) Flavin ANS-4
- (3) Haem
- (4) Zinc
- 124 The type of conservation in which the threatened species are taken out from their natural habitat and placed in special setting where they can be protected and given special care is called;
 - (1) Biodiversity conservation ANS-1
 - (2) Semi-conservative method
 - (3) Sustainable development
 - (4) in-situ conservation
- 125 A transcription unit in DNA is defined primarily by the three regions in DNA and these are with respect to upstream and down stream end;
 - (1) Structural gene, Transposons, Operator gene
 - (2) Inducer, Repressor, Structural gene
 - (2) Promotor, Structural gene, Terminator
 - (4) Repressor, Operator gene, Structural gene

- What is the fate of a piece of DNA carrying only gene of interest which is transferred into an alien organism?

 ANS-2
 - A. The piece of DNA would be able to multiply itself independently in the progeny cells of the organism.
 - B. It may get integrated into the genome of the recipient.
 - C. It may multiply and be inherited along with the host DNA.
 - D. The alien piece of DNA is not an integral part of chromosome.
 - E. It shows ability to replicate.

Choose the correct answer from the options given below:

- (1) D and E only
- (2) B and C only
- (3) A and E only
- (4) A and B only
- 127 Identify the part of the seed from the given figure which is destined to form root when the seed germinates.



ANS-2

- (1) B
- (2) C
- (3) D
- (4) A
- Which of the following is an example of actinomorphic flower?
 - (1) Cassia
- (2) Pisum
- (3) Sesbania
- 14) Datura

129	(1) promotes ab(2) does not affinants.(3) can help in produce ground	nage is cau oscission o feed matur M m owing	to prepare weed-free used to grass as auxin ANS-2 f mature leaves only. e monocotyledonous ision in grasses, to	132	Identify the type of flowers based on the position of calyx, corolla and androecium with respect to the ovary from the given figures (a) and (b) ANS-3
130	(4) promotes ap Match List I with	യ ന പ്രൂബ ന	ANS-4 List II		 (1) (a) Hypogynous; (b) Epigynous (2) (a) Perigynous; (b) Epigynous (2) (a) Perigynous; (b) Perigynous (4) (a) Epigynous; (b) Hypogynous
]	A. Rhizopus B. Ustilago C. Puccinia D. Agaricus		Mushroom Smut fungus Bread mould Rust fungus	133	Which of the following are required for the dark reaction of photosynthesis? A. Light B. Chlorophyll C. CO ₂ D. ATP
	below: (1) A-I, B-III, C (2) A-III, B-II, C (3) A-IV, B-III,	C-ILD-IV	From the options given		E. NADPH Choose the correct answer from the options given below: (1) B, C and D only (2) C, D and E only (3) D and E only (4) A, B and C only
131	A pink flowered with a red flower of phenotype/s is (1) Red flowere (2) Only pink flowere	Spandrag sed Spandrag sed as well a colored pl s vol as v	white flowered plants	134	In a plant, black seed color (BB/Bb) is dominant over white seed color (bb). In order to find out the genotype of the black seed plant, with which of the following genetype will you cross it? (1) bb (2) Bb ANS-1 (3) BB/Bb (4) BB Bulliform cells are responsible for ANS-4 (1) Protecting the plant from salt stress. (2) Increased photosynthesis in monocots. (3) Providing large-spaces for storage of sugars. (4) Inward curling of leaves in monocots.
R4	_English	Ğ		19	[Contd

Botany: Section-B (Q. No. 136 to 150)


136 Given below are two statements: ANS-2

Statement I: In C_3 plants, some O_2 binds to RuBisCO, hence CO_2 fixation is decreased.

Statement II: $\ln C_4$ plants, mesophyll cells show very little photorespiration while bundle sheath cells do not show photorespiration.

In the light of the above statements, choose the *correct* answer from the options given below:

- (1) Both Statement I and Statement II are false
- (2) Statement I is true but Statement II is false
- (3) Statement I is false but Statement II is true
- (4) Both Statement I and Statement II are true
- 137 Identify the correct description about the given figure:



ANS-4

- (1) Water pollinated flowers showing stamens with mucilaginous covering.
- (2) Cleistogamous flowers showing autogamy.
- (3) Compact inflorescence showing complete autogamy.
- (4) Wind pollinated plant inflorescence showing flowers with well exposed stamens.

138 Match List I with List II ANS-

	List I		List II
A.	Rose	I.	Twisted aestivation
B.	Pea	II.	Perigynous flower

C. Cotton III. Drupe

D. Mango IV. Marginal placentation Choose the correct answer from the options given below:

- (1) A-I, B-II, C-III, D-IV
- (2) A-IV, B-III, C-II, D-I
- (3) A-II, B-III, C-IV, D-I
- (4 | A-II, B-IV, C-I, D-III

- 139 The DNA present in chloroplast is ANS-1
 - (1) Circular, double stranded
 - (2) Linear, single stranded
 - (3) Circular, single stranded
 - (4) Linear, double stranded
- 140 Which of the following statement is correct regarding the process of replication in *E.coli*?
 - The DNA dependent RNA polymerase catalyses polymerization in one direction, that is 5'→3'.
 - (2) The DNA dependent DNA polymerase catalyses polymerization in $5' \rightarrow 3'$ as well as $3' \rightarrow 5'$ direction.
 - (3) The DNA dependent DNA polymerase catalyses polymerization in $5' \rightarrow 3'$ direction.
 - (4) The DNA dependent DNA polymerase catalyses polymerization in one direction that is 3'→5'.

1.1

- 141 Which of the following are fused in somatic hybridization involving two varieties of plants?
 - (1) Somatic embryos ANS-2
 - (2) Protoplasts
 - (3) Pollens
 - (4) Callus
- 142 Identify the step in tricarboxylic acid cycle, which does not involve oxidation of substrate.
 - (1) Succinic acid → Malic acid ANS-2
 - (2) Succinyl-CoA → Succinic acid
 - (3) Isocitrate $\rightarrow \alpha$ -ketoglutaric acid
 - (4) Malic acid → Oxaloacetic acid

143 N	atch List I wit	h List II	ANS-4
	List 1		List II
Α.	GLUT-4	1.	Hormone
В.	Insulin	И.	Enzyme
C.	Trypsin	Ш.	Intercellular
			ground substance
D.	Collagen	IV.	Enables glucose
			transport into cells

Choose the correct answer from the options given below:

- (1) A-1, B-11, C-111, D-IV
- (2) A-II, B-III, C-IV, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-IV, B-I, C-II, D-III
- 144 Spraying sugarcane crop with which of the following plant growth regulators, increases the length of stem, thus, increasing the yield?
 - (1) Gibberellin

ANS-1

- (2) Cytokinin
- (3) Abscisic acid
- (4) Auxin

145 Match List I with List II ANS-1

	List I		List II
A.	Frederick	I.	Genetic code
	Griffith		,
B.	Francois Jacob	П.	Semi-conservative
	& Jacque		mode of DNA
	Monod		replication
C.	Har Gobind	III.	Transformation
	Khorana		
D.	Meselson &	IV.	Lac operon

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-II, B-III, C-IV, D-I
- (3) A-IV, B-I, C-II, D-III
- (4) A-III, B-II, C-I, D-IV

146 Match List I with List II

ANS-1

List [

List II

- A. Robert May
- I. Species-Area relationship
- B. Alexander von Humboldt
- II. Long term ecosystem

experiment using

out door plots

- C. Paul Ehrlich
- III. Global species

diversity at about

7 million

- D. David Tilman
- IV. Rivet popper

hypothesis

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-I, B-III, C-II, D-IV
- (3) A-III, B-IV, C-II, D-I
- (4) A-II, B-III, C-I, D-IV
- 147 Read the following statements and choose the set of correct statements:

 ANS-2

In the members of Phaeophyceae,

- A. Asexual reproduction occurs usually by biflagellate zoospores.
- B. Sexual reproduction is by oogamous method only.
- C. Stored food is in the form of carbohydrates which is either mannitol or laminarin.
- D. The major pigments found are chlorophyll a, c and carotenoids and xanthophyll.
- E. Vegetative cells have a cellulosic wall, usually covered on the outside by gelatinous coating of algin.

Choose the correct answer from the options given below:

- (1) B, C, D and E only
- (2) A, C, D and E only
- (a) A, B, C and E only
- (4) A, B, C and D only

Stahl

148	Match List I with	List II	ANS-1
	List I		List II
Λ	. Citric acid	Ĭ.	Cytoplasm
	cycle	(χ)	•
В	d. Glycolysis	10 II.	Mitochondrial
		(3)	matrix
C	. Electron	(Y) III.	Intermembrane
	transport		space of
	system	10	mitochondria
10), Proton	W IV.	Inner
	gradient		mitochondrial
		611	membrane
	Choose the correct	tanswer f	from the options given
	110101000		_
	(1) A-II, B-I, C- (2) A-III, B-IV,	-I V, D-III	
	(2) A-III, B-IV,	C-1, D-11	
	(3) A-IV, B-III.	Call Dat	
	(4) A-I, B-II, C	-III, D-IV	
		183	,
149			Primary Productivity
	(NPP) of first tro		
	$100x (kcal m^{-2})$	vr what	t would be the GPP
	(Gross Primary I	roductivi	ty) of the third
	trophic level of t	he same e	cosystem?
		•	cosystem.
	$(1) x (kcal \ m^{-2})$) <i>yr.</i> 7	
	(2) $10x$ (kcal m	$-2\frac{1}{2}$	
	(2) You (near m	V.J.	
	(3) $\frac{100x}{3x}$ (kcal)	m^{-2}) vr^{-1}	
	3x	/) .	
	·x	2 ፈሃን _1	
	$(4) \frac{x}{10} (kcal \ m^{-1})$	2) yr	
		(0)	
150	Match List I with	***	ANS-4
	List I	(<u>"</u>) List	
	Types of Stamens		
	A. Monoadelphor		Citrus
	3. Diadelphous	II.	
	C. Polyadelphous		
) Eninhyllous	IV	China-rose
1.	Choose the same	ot answer	from the options given
	below:		nom me opnomo 5. ren
	(1) A-IV, B-I, C	-{{}}D-III	
	(1) A-IV, B-I, C (2) A-I, B-II, C	_1(V)D_111	
	(3) A-III, B-I, C	יוו-כו לעלבי	,
	(3) /3-111, 13-1, C (A) IV R-11	5567U_III	
	(4) 12-IV, B-II,	(3)	•
DΛ	English 1	₽₽ ″	2

L	Z	oology : Section-A	(Q. 1	No. 151 to 185)
151	N	Match List I with Li	st II:	ANS-3
		List I		List II
	۸.	Fibrous joints	I.	Adjacent
		16.) 		vertebrae, limited
	•	£ 4.6	**	movement
	15.	out this in the	П.	Humerus and
		joints (*)		Pectoral girdle,
		Key.		rotational
	~	بالمنو و		movement
	C.	ringe	III.	•
		joints		allow any
	_		** *	movement
	D.	92	IV.	Knee, help in
	_	socket joints		locomotion
			iswer i	from the options given
		elow:	D IV	
		2) A-II, B-III, Ç-I, 3` A-III, B-I, C-IV		
		4) A-III, B-I, C-II 4) A-IV, B-II, C-II		
	(*	+) A-1 V, D-11, C-11	1, 17-1	
152	λ	Iatch List I with Lis	st II :	
10-		List I		List II
	A.	Common cold	I.	
		Haemozoin (**	II	. Typhoid
		Widal test	II	• •
	D.	Allergy	Ŧ	/. Dust mites
			iswer f	from the options given
		elow:		
	(l) A-I, B-III, C-II,	D-IV	ANS-2
	C_{ℓ}	2) A-III, B-I, C-II,	D-IV	
		3) A-IV, B-II, 🖭		
	(4	4) A-II, B-IV, C-II	I, D-I	
		T.		
153	N	Natch List I with Lis	st II:	
133				
133		List I		List II
,		Down's syndrome		11th chromosome
,	B.	Down's syndrome α-Thalassemia (*)	II.	11 th chromosome 'X' chromosome
,	B.	Down's syndrome	II.	11 th chromosome

			OF L		
3	N	latch List I wi	th List I	I :	
		List I	Article Control		List II
	A.	Down's syndr	omė	I.	11 th chromosome
	B.	α-Thalassem	ia'.C	II.	'X' chromosome
	C.	β-Thalassem	ia	III.	21st chromosome
	D.	Klinefelter's		IV.	16th chromosome
	b (elow : l) A-II, B-III	, Ç-IV, I	D-I	om the options given ANS-2
		7) A-III, B-IV			
	(4	3) A-IV, B-I, 4) A-I, B-II, (C-11, D-	·IV	

[Contd...

154 Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:

ANS-3

Assertion A: FSH acts upon ovarian follicles in female and Leydig cells in male.

Reason R: Growing ovarian follicles secrete estrogen in female while interstitial cells secrete androgen in male human being.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true but R is NOT the correct explanation of A.
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A.
- 155 The "Ti plasmid" of Agrobacterium tumefaciens stands for ANS-2
 - (1) Tumor independent plasmid
 - (2) Tumor inducing plasmid
 - (3) Temperature independent plasmid
 - (4) Tumour inhibiting plasmid
- 156 Given below are two statements: ANS-1

Statement I: In the nephron, the descending limb of loop of Henle is impermeable to water and permeable to electrolytes.

Statement II: The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for reabsorption.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false
- (2) Statement I is true but Statement II is false
- (3) Statement I is false but Statement II is true
- 4 Both Statement I and Statement II are true

157 Match List I with List II: ANS-2

List I List II
(Sub Phases of (Specific Prophase I) characters)

- A. Diakinesis I. Synaptonemal complex formation
- B. Pachytene II. Completion of terminalisation of

C. Zygotene III. Chromosomes look like thin

threads

chiasmata

D. Leptotene IV. Appearance of recombination nodules

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-IV, D-III
- (2) A-II, B-IV, C-I, D-III
- (A-IV, B-III, C-II, D-I
- (4) A-IV, B-II, C-III, D-I
- 158 Match List I with List II:

List I List II

- A. Non-medicated IUD I. Multiload 375
- B. Copper releasing IUD II. ProgestogensC. Hormone releasing IUD III. Lippes loop
- C. Hormone releasing IUD III. Lippes loop
 D. Implants IV. LNG-20
 - Choose the correct answer from the options given below:
 - (1) A-I, B-III, C-IV, D-II
 - (2) A-IV, B-I, C-II, D-III
 - (3) A-III, B-I, C-IV, D-II
 - (4) A-III, B-I, C-II, D-IV
- 159 Which of the following is not a steroid hormone?
 - (1) Testosterone ANS-3
 - (2) Progesterone
 - (3) Glucagon
 - (4) Cortisol

23

160 Given below are some stages of human evolution. Arrange them in correct sequence, (Past to ANS-3 Recent)

> Homo habilis Α.

Homo sapiehs) В.

Homo neanday halensis C.

D. Homo erectus)

Choose the correct sequence of human evolution from the options given below:

(1) B-A-D-C

(?) C-B-D-A

(3) A-D-C-B (4) D-A-C-B L() S

Match List I with List II: 161

ANS-2

List I List II

(2)

A. Lipase Peptide bond ik

B. Nuclease II. Ester bond

C. Protease III. Glycosidic bond

D. Amylase TY. Phosphodiester bond

Choose the correct answer from the options given below:

(1) A-III, B-II, Q→, D-IV

(2) A-II, B-IV, Ĉ₽, D-III

(3) A-IV, B-I, C-III, D-II

(4) A-IV, B-II, C-III, D-I

Given below are two statements: ANS-2 162

> Statement I: The presence or absence of hymen is not a reliable indicator of virginity.

> Statement II: The hymen is torn during the first coitus only.

> In the light of the above statements, choose the correct answer from the options given below:

> (1) Both Statement I and Statement II are false

Statement I is true but Statement II is false

Statement I & Talse but Statement II is true

Both Statement I and Statement II are true

ANS-2 Match List I with List II: 163

List I

List II I.

 Λ , α -1 antitrypsin

Cotton bollworm 11. ADA deficiency

B. Cry IAb Cry IAc

C.

00 III. Emphysema

D. Enzyme replacement IV. Corn borer O

therapy Choose the correct answer from the options given below:

(1) A-III, B-I, C-II, D-IV

(2) A-III, B-IV, C-I, D-II

(3) A-II, B-IV, C-I₃ D-III

(4) A-II, B-I, C-IY-D-III

Three types of muscles are given as a, b and c. 164 Identify the correct matching pair along with their location in human body:



Name of muscle/location
(1) (a) Skeletal Triceps

(b) Smooth - Stomach(c) Cardiac - Heart.

(2) (a) Skeletal - Biceps

(b) Involuntary - Intestine

(c) Smooth - Heart.

(2) (a) Involuntary - Nose tip

(b) Skeletal - Bone

(c) Cardiac - Heart.

(4) (a) Smooth - Tees

(b) Skeletal - Legs

(c) Cardiac - Heart.

165 Match List I with Lis II: ANS-1

List I A. Typhoid

O

List II I. **Fungus**

B. Leishmaniasis

П. Nematode

C. Ringworm

Protozoa III.

D. Filariasis

3 **Bacteria** IV.

Choose the correct answer from the options given below:

(1) A-IV, B-III, C(7,)D-II

(2) A-III, B-I, C-I**V**D-II

(3) A-II, B-IV, C-**I** D-I

(4) A-I, B-III, C-I**LID**-IV

166	Match List I with I	List II :	ANS-3	1'
	List I		List II	
	A. Axoneme	∞^{L}	Centriole	
	B. Cartwheel	in II.	Cilia and flagella	
	pattern	O III.	a.	
	C. Crista	(M) III.	Chromosome	
	D. Satellite	$\frac{(7)}{100}$ IV.	Mitochondria	
	below:	answer I	from the options given	1'
	(1) A-IV, B-II, C	_ MGD TI		1
	(2) A-II, B-IV, C	,		
	(3) A-II, B-I, C-I	,	•	
	(4) A-IV, B-III, (•	•	
167	In both seves of	Cockroa	ch, a pair of jointed	
10,	filamentous structu	ires calle	d anal cerci are present	
	on:	(1)	ANS-1	
	(2) 8 th and 9 th se		AITO I	
	(3) 11 th segment			1'
	(4) 5 th segment			1
	(+) 5 segment			
160	Match List I with	т ОО -т.	ANS-1	
100		LA)	`	
	List I	la	List II	
	A. Pleurobrachia	m I.	Mollusca	
	B. Radula	O II.	Ctenophora	Ì
	C. Stomochord	(O III.	Osteichthyes	
	D. Air bladder	LO IV.	Hemichordata	
	Choose the correc	t answer	from the options given	
	below:	#* *		
	(1) A-II, B-I, C-	III-Q'Y		
	(2) A-II, B-IV, C	III-d <mark>oj</mark> i)		
	(3) A-IV, B-III,	Qan, D-I		
	(4 A-IV, B-II, C		•	
	x ²	W		
169	Following are	thio stag	ges of pathway for	
	conduction of an	action	potential through the	
	heart:		ANS-4	
	A. AV bundle	E'he're		
	B. Purkinje fibr	PD.		
	C. 11, 110 ac	rV rV		1
	D. Bundle brand	Ches (Y)		
	L. Orthodo	. •	ce of pathway from the	
	options given belo		of putility from the	
	(1) A-E-C-B-D	(D) (1)	B-D-E-C-A	
	(3) E-A-D-B-C	(4)	E-C-A-D-B	
		` '		ı

- 170 The flippers of the Penguins and Dolphins are the example of the (1) Natural selection (2) Convergent evolution
 - (2) Convergent evolution

 O Divergent evolution
 - (4) Adaptive radiation
- Which one is the confect product of DNA dependent RNA polymerase to the given template?

 ANS-4

3'TACATGGCAAATAECCATTCA5'

- (1) 5'AUGUAAAGUUUTAUAGGUAAGU3'
- (2) 5'AUGUACCGUUUAUAGGGAAGU3'
- 5'ATGTACCGTTTATAGGTAAGT3'
- (4) 5'AUGUACCGUU<mark>UA</mark>UAGGUAAGU3'

as Assertion A and the other is labelled as Reason R:

Assertion A: Breast-feeding during initial period of infant growth is recommended by doctors for bringing a healthy baby.

Reason R: Colostrum contains several antibodies absolutely essential to be velop resistance for the new born baby.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both A and R are correct but R is NOT the correct explanation of A.
- (2) A is correct but R is not correct.
- (3) A is not correct but R is correct.
- (4) Both A and R are correct and R is the correct explanation of A
- 173 Which of the following factors are favourable for the formation of oxylamoglobin in alveoli?
 - (1) High pO₂ and Lesser H⁺ concentration
 - (2) Low pCO₂ and fligh H⁺ concentration
 - (3) Low pCO₂ and High temperature
 - (4) High pO₂ and High pCO₂

174	Cor	sider	the fo	llowing	statements:	ANS-1
	A					•

- A. Annelids are true coelomates
- B. Poriferans are pseudocoelomates
- C. Aschelminthes are accelomates
- D. Platyhelminthes are pseudocoelomates

Choose the correct answer from the options given below:

- (D) A only
- (2) C only
- (3) Donly
- (4) Bonly

175 Following are the stages of cell division:

- A. Gap 2 phase
- ANS-3
- B. Cytokinesis
- C. Synthesis phase
- D. Karyokinesis
- E. Gap 1 phase

Choose the correct sequence of stages from the options given below:

- (1) E-B-D-A-C
- (2) B-D-E-A-C
- (3) E-C-A-D-B
- (4) C-E-D-A-B

176 Which of the following statements is incorrect?

- (1) Most commonly used bio-reactors are of stirring type.

 ANS-2
- (2) Bio-reactors are used to produce small scale bacterial cultures.
- (3) Bio-reactors have an agitator system, an oxygen delivery system and foam control system.
- (4) A bio-reactor provides optimal growth conditions for achieving the desired product.

177 Match List I with List II:

List I

List II

- A. Pons-
- -I. Provides additional space for Neurons, regulates posture and balance.
- B. Hypothalamus
- II. Controls respiration and gastric secretions.
- C. Medulla
- JII. Connects different regions of the
 - brain,
- D. Cerebellum
- V. Neuro secretory cells

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-II, D-I
- ANS-1
- (2) A-I, B-III, C-II, D-IV
- (3) A-II, B-I, C-III, D-IV
- (4) A-II, B-III, C-I, D-IV

- Which of the following is not a natural/traditional contraceptive method?
 - (1) Periodic abstinence
 - (2) Lactational amenorrhea
 - (3) Vaults
 - (4) Coitus interruptus

Which one of the following factors will not affect the Hardy-Weinberg equilibrium?

- (1) Genetic drift
- ANS-3
- (2) Gene migration
- (3) Constant gene pool
- (4) Genetic recombination

180 Match List I with List II: ANS-1

List I

List II

- A. Pterophyllum
- I. Hag fish
- B. Myxine
- II. Saw fish
- C. Pristis
- III. Angel fish
- D. Exocoetus
- IV. Flying fish

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-II, D-IV
- (2) A-IV, B-I, C-II, D-III
- (3) A-III, B-II, C-I, D-IV
- A-II, B-I, C-III, D-IV

Which of the following is not a component of Fallopian tube?

- (1) Isthmus
- (2) Infundibulum
- (3) Ampulla
- (4) Uterine fundus

182 Match List I with List II:

ANS-3

List 1

List II

- A. Cocaine
- LOO Effective sedative in
 - 14)
 - surgery
- B. Heroin
- II(1") Cannabis sativa
- C. Morphine
- III. Erythroxylum
- D. Marijuana
- IV Papaver somniferum

Choose the correct answer from the options given below:


- (1) A-I, B-III, C-II, **B**IV
- (2) A-II, B-I, C-III, D-IV
- (注) A-III, B-IV, C-L印-II
- (4) A-IV, B-III, C-I; D-II

12)

183 The following diagram showing restriction sites in *E.coli* cloning vector pBR322. Find the role of

'X' and 'Y' genes: (X)





- () I me gene 'X' is responsible for controlling the copy number of the linked DNA and 'Y' for protein involved in the replication of Plasmid.
- (2) The gene 'X' is for protein involved in replication of Plasmid and 'Y' for resistance to antibiotics.
- (3) Gene 'X' is responsible for recognition sites and 'Y' is responsible for antibiotic resistance.
- (4) The gene 'X' is responsible for resistance to antibiotics and X' for protein involved in the replication of Plasmid.

- 184 Which of the following are Autoimmune disorders?
 - A. Myasthenia gravis
 - B. Rheumatoid arthritis
 - C. Gout
- (7)
- D. Muscular dystrophy
- E. Systemic Lupus Erythematosus (SLE)

Choose the most appropriate answer from the options given below:

- (1) A, B & E only (1)
- (2) B, C & E only (1)
- (3) C, D & E only (7)
- (4) A, B & D only

185 Match List I with List II:

ANS-4

ANS-1

List I

List II

A. Expiratory capacity

I. Expiratory reserve

volume +

volume + Tidal

Inspiratory reserve

volume

B. Functional

4I. T

Tidal volume +

residual

ය) ය) Expiratory reserve

capacity

C. Vital capacity

Q

(7) III. Tidal volume +

volume

S

Inspiratory reserve

volume

D. Inspiratory capacity

IV.

V. Expiratory reserve

volume + Residual

volume

Choose the correct prewer from the options given below:

m

- (2) A-II, B-I, C-IV D-III
- (3) A-I, B-III, C-II D-IV
- (4) A-II, B-IV, C-I, D-III

Zoology: Section-B (Q. No. 186 to 200)

186 Match List I with List II:

ANS-1

List 1

List II

- A. Pwave
- 1. Heart muscles are electrically silent.
- B. QRS complex
- II. Depolarisation of ventricles.
- C. Twave
- III. Depolarisation of atria.
- D. T-P gap
- IV. Repolarisation of ventricles.

Choose the correct answer from the options given below:

- A-III, B-II, C-IV, D-I
- (2) A-II, B-III, C-I, D-IV
- (3) A-IV, B-II, C-I, D-III
- (4) A-I, B-III, C-IV, D-II

187 Given below are two statements:

Statement I: The cerebral hemispheres are connected by nerve tract known as corpus callosum.

ANS-2

Statement II: The brain stem consists of the medulla oblongata, pons and cerebrum.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- (3) Statement I is incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct.

188 Given below are two statements:

Statement I: Mitochondria and chloroplasts are both double membrane bound organelles.


Statement II: Inner membrane of mitochondria is relatively less permeable, as compared to chloroplast.

ANS-2

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- (3) Statement I is incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct.

ldentify the correct option (A), (B), (C), (D) with respect to spermatogenesis.



- (1) ICSH, Interstitial cells, Leydig cells, spermiogenesis.
- (2) FSH, Sertoli cells, Leydig cells, spermatogenesis.
- (3) ICSH, Leydig cells, Sertoli cells, spermatogenesis.
- (4) FSH, Leydig cells, Sertoli cells, spermiogenesis

190 Given below are two statements: ANS-4

Statement I: Bone marrow is the main lymphoid organ where all blood cells including lymphocytes are produced.

Statement II: Both bone marrow and thymus provide micro environments for the development and maturation of T-lymphocytes.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- (3) Statement I is incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct.

- As per ABO blood grouping system, the blood 191 group of father is B⁺, mother is A⁺ and child is O⁺. Their respective genotype can be
 - I^Bi / I^Ai / ii

ANS-4

- B. IBIB / IAIA / ii
- C. 1AIB / iIA / IBi ·
- $I^{A_i}/I^{B_i}/I^{A_i}$ D.
- E. ilB / ilA / lAlB

Choose the most appropriate answer from the options given below:

- (1) B only
- (2) C & B only
- (3) D & E only
- (4) A only
- 192 Given below are two statements:

Statement I: Gause's competitive exclusion principle states that two closely related species competing for different resources cannot exist ANS-3 indefinitely.

Statement II: According to Gause's principle, during competition, the inferior will be eliminated. This may be true if resources are limiting.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I is false but Statement II is true.
- (4) Both Statement I and Statement II are true.

ANS-3 193 Match List I with List II:

List I

List II

- A. Mesozoic Era
- Lower invertebrates I.
- B. Proterozoic Era
- II. Fish & Amphibia
- C. Cenozoic Era
- III. Birds & Reptiles
- D. Paleozoic Era
- IV. Mammals

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-II, D-IV
- (2) A-I, B-II, C-IV, D-III
- (3) A-III, B-I, C-IV, D-II
- (4) A-II, B-I, C-III, D-IV

194 Match List I with List II:

ANS-3

List I

List II

- A. RNA polymerase III
- snRNPs ١.
- B. Termination of

transcription

- II. Promotor
- C. Splicing of Exons
- III. Rho factor
- D. TATA box
- IV. SnRNAs, tRNA

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-IV, D-I
- (2) A-III, B-IV, C-I, D-II
- (3) A-IV, B-III, C-I, D-II
- (4) A-II, B-IV, C-I, D-III
- Regarding catalytic cycle of an enzyme action, 195 select the correct sequential steps:
 - Substrate enzyme complex formation. A.
 - Free enzyme ready to bind with another В. substrate.
 - C. Release of products.

ANS-4

- Chemical bonds of the substrate broken. D.
- E. Substrate binding to active site.

Choose the correct answer from the options given below:

- (L'r A, E, B, D, C
- (2) B, A, C, D, E
- (3) E, D, C, B, A
- (4) E, A, D, C, B

Match List I with List II: 196

ANS-2

List I

A. Unicellular glandular

- List II I. Salivary glands
- B. Compound epithelium II.

glandular epithelium

- **Pancreas**
- C. Multicellular

epithelium

- III. Goblet cells of alimentary canal
- D. Endocrine glandular epithelium
- IV. Moist surface of buccal cavity

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-I, D-II
- (2) A-III, B-IV, C-I, D-II
- (3) A-II, B-I, C-IV, D-III
- (4^y A-II, B-I, C-III, D-IV

197 Match List I with List II: ANS-3 List I List II Ø A. Exophthalmic Excess secretion of goiter cortisol, moon face & Q hyperglycemia S В. Acromegaly II. Hypo-secretion of thyroid hormone (X) and stunted growth. C. Cushing's M. Hyper secretion syndrome of thyroid hormone & () w protruding eye balls. D. Cretinism **Excessive secretion** IV. of growth hormone. Choose the correct answer from the options given below: (1) A-IV, B-II, C-I, **S** III (2) A-III, B-IV, C-II, D-I (3) A-III, B-IV, C-I D-II (4) A-I, B-III, C-II, 1941V

198 Choose the correct statement given below regarding juxta medullary nephron. ANS-2

- (1) Renal corpuscle of juxta medullary nephron lies in the outer portion of the renal medulla.
- (2) Loop of Henle of juxta medullary nephron runs deep into medulla.
- (3) Juxta medullary nephrons outnumber the cortical nephrons
- (4) Juxta medullary nephrons are located in the columns of Bertini.

Match List I with List II related to digestive system 199 of cockroach. ANS-4 List II List I A. The structures us Gizzard for storing of foo B. Ring of 6-8 blind II. Gastric Caeca tubules at junction of foregut and midgut. C. Ring of 100-150 yellow III. Malpighian tubules coloured thin filaments at junction of midgut and hindgut

D. The structures used IV. Crop for grinding the food.

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-III(1)-IV
- (2) A-IV, B-III, C-12 D-I
- (3) A-III, B-II, C-**NQ**D-I
- (4) A-IV, B-II, C-III, D-I

The following are the statements about non-chordates:

ANS-2

- A. Pharynx is persorated by gill slits.
- B. Notochord is absent.
- C. Central nervous system is dorsal.
- D. Heart is dorsal if present.
- E. Post anal tail Cabsent.

Choose the most appropriate answer from the options given below:

- (1) A, B & D only
- (2) B, D & E only
- (3) B, C & D only
- (4) A & C only