Test Booklet No.

Test Booklet Code

48

ENGLISH

Do not open this Test Booklet until you are asked to do so.

This Booklet contains 32 pages, including Rough Page.

NARMADA

Important Instructions:

- The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with blue/black ball point pen only.
- 2. The test is of 3 hours duration and the Test Booklet contains 180 multiple-choice questions (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology).
- Wherever the symbols/constants are not mentioned, they are to be considered as per their standard meaning/ value.
- 4. Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.
- 5. Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses on Answer Sheet.
- 6. Rough work is to be done in the space provided for this purpose in the Test Booklet only.
- 7. On completion of the test, the candidate must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
- 8. The CODE for this Booklet is "48". Make sure to enter this code in the OMR answer sheet.


- 9. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
- 10. Use of white fluid for correction is NOT permissible on the Answer Sheet.
- 11. Each candidate must show on-demand his/her Admit Card to the Invigilator.
- 12. No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.
- 13. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.
- 14. Use of Electronic/Manual Calculator is prohibited.
- 15. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this examination along with Public Examinations (Prevention of unfair means act 2024).
- 16. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.
- 17. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.
- 18. If a candidate marks more than one answers for a question in the **OMR Sheet**, it will be treated as incorrect and negative marking will be applicable.

MANISH	SURSAL.	•
Name of the Candidate (in Capitals):		
Roll Number : in figures		
: in words		
Centre of Examination (in Capitals):		
Candidate's Signature :	Invigilator's Signature :	
Facsimile signature stamp of Centre Superintendent:	1	
48 English]	•	I Contd


- A parallel plate capacitor made of circular 1 plates is being charged such that the surface charge density on its plates is increasing at a constant rate with time The magnetic field arising due to displacement current is:
 - non-zero everywhere with maximum at the imaginary cylindrical surface connecting peripheries of the plates
 - (2) zero between the plates and non-zero outside ANS.1
 - (3) zero at all places
 - (A) constant between the plates and zero outside the plates
- An electric dipole with dipole moment 2 5×10^{-6} Cm is aligned with the direction of a uniform electric field of magnitude 4×10^5 N/C. The dipole is then rotated through an angle of 60° with respect to the electric field. The change in the potential energy of the dipole is:
 - (1) 1.2 J
- ANS.4 (2) 1.5 J
- (3) 0.8 J
- .(4) 1.0 J
- A ball of mass 0.5 kg is dropped from a height 3 of 40 m. The ball hits the ground and rises to a height of 10 m. The impulse imparted to the ball during its collision with the ground is (Take $g = 9.8 \, m/s^2$) ANS.3
 - (1)
- (2) 84 NS
- 21 NS
- (4) 7 NS
- The intensity of transmitted light when a 4 polaroid sheet, placed between two crossed polaroids at 22.59 from the polarization axis of one of the polaroid, is (I_0) is the intensity of polarised light after passing through the first polaroid):

- The kinetic energies of (two) similar cars A and B are 100 J and 225 J respectively. On applying breaks, car A stops after 1000 m and car B stops after 1500 m. If F_A and F_B are the forces applied by the breaks on cars A and Brespectively, then the ratio F_A/F_B is

- ANS.4
- The current passing through the battery in the given circuit, is: は割




- (1) 2.5 A
- (2) 1.5 A
- (3) 2.0 A
- 0.5 A
- Three identical heat conducting rods are connected in series as shown in the figure. The rods on the sides have thermal conductivity 2K while that in the middle has thermal conductivity K. The left end of the combination is maintained at temperature 3T and the right end at T. The rods are thermally insulated from outside. In steady state, temperature at the left junction of T1 and that at the right junction is T_2 . The ratio T_1/T_2 is




- 5 (2)

.8 In an oscillating spring mass system, a spring is connected to a box filled with sand. As the box oscillates, sand leaks slowly out of the box vertically so that the average frequency $\omega(t)$ and average amplitude A(t) of the system change with time t. Which one of the following



AB is a part of an electrical circuit (see figure). The potential difference " $V_A - V_B$ ", at the instant when current i = 2 A and is increasing at a rate of 1 amp / second is:



- A particle of mass m is moving around the 10 origin with a constant force F pulling it towards the origin. If Bohr model is used to describe its motion, the (radius) of the nth orbit) and the particle's speed v in the orbit depend on n as
 - (1) $r \propto n^{2/3}$; $v \propto n^{1/3}$ ANS.1 (2) $r \propto n^{4/3}$; $v \propto n^{-1/3}$ (3) $r \propto n^{1/3}$; $v \propto n^{1/3}$

 - (4) $r \propto n^{1/3}$; $v \propto n^{2/3}$
- In some appropriate units, time (t) and position 11 (x) relation of a moving particle is given by $t = x^2 + x$. The acceleration of the particle is

(1)
$$+\frac{2}{(x+1)^3}$$
 (2) $+\frac{2}{2x+1}$ ANS.4

(3)
$$-\frac{2}{(x+2)^3}$$
 (4) $\frac{2}{(2x+1)^3}$

- A model for quantized motion of an electron 12 in a uniform magnetic field B states that the flux passing through the orbit of the electron is n(h/e) where n is an integer, h is Planck's constant and e is the magnitude of electron's charge. According to the model, the magnetic moment of an electron in its lowest energy state will be (m is the mass of the electron)
- $2\pi m$
 - ANS.4

- he


- A microscope has an objective of focal length 2 cm, eyepiece of focal length 4 cm and the tube length of 40 cm. If the distance of distinct vision of eye is 25 cm, the magnification in the microscope is
 - (1) 150

(2) 250 ANS.4

- (3) 100
- (4) 125
- There are two inclined surfaces of equal length (L) and same angle of inclination 45° with the horizontal. One of them is rough and the other is perfectly smooth. A given body takes 2 times as much time to slide down on rough surface than on the smooth surface. The coefficient of kinetic friction (μ_k) between the object and the rough surface is close to
 - (1) 0.5

(2) 0.75 ANS.2

- (3) 0.25
- (4) 0.40
- 15 A full wave rectifier circuit with diodes (D_1) and (D_2) is shown in the figure. If input supply voltage $V_{in} = 220\sin(100 \pi t)$ volt, then at t = 15 msec



- \mathcal{H} D_1 and D_2 both are forward biased
- (2) D_1 and D_2 both $\frac{1}{2}$ reverse biased
- (3) D_1 is forward biased, D_2 is reverse biased ANS.4
- (4) D_1 is reverse biased, D_2 is forward biased

A uniform rod of mass 20 kg and length 5 m leans against a smooth vertical walkmaking an angle of 60° with it. The other end rests on a rough horizontal floor. The friction force that the floor exerts on the rod is $(take g = 10 \text{ m/s}^2)$

(1) 200 N

(2) $200\sqrt{3}$ N)

ANS.4

(3) 100 N

(4) 100 √3 N

17 Two identical charged conducting spheres A and B have their centres separated by a certain distance. Charge on each sphere is q and the force of repulsion between them is F. A third identical uncharged conducting sphere is brought in contact with sphere A first and then with B and finally removed from both. New force of repulsion between spheres A and B (Radii of A and B are negligible compared to the distance of separation so that for calculating force between them they can be considered as point charges) is best given as:

(1) $\frac{F}{2}$

(2) $\frac{3F}{8}$

MANS.2

 $(3) \quad \frac{3F}{5}$

 $(4) \quad \frac{2F}{3}$

4

18 Two cities X and Y are connected by a regular bus service with a bus leaving in either direction every T min. A girl is driving scooty with a speed of 60 km/h in the direction X to Y notices that a bus goes past her every 30 minutes in the direction of her motion, and every 10 minutes in the opposite direction. Choose the correct option for the period T of the bus service and the speed (assumed constant) of the buses.

(1) 10 min, 90 km/h ANS.2

(2) 15 min, 120 km/h

- (3) 9 min, 40 km/h
- (4) 25 min, 100 km/h

W.


L()


- A container has two chambers of volumes $V_1 = 2$ litres and $V_2 = 3$ litres separated by a partition made of a thermal insulator. The chambers contains $n_1 = 5$ and $n_2 = 4$ moles of ideal gas at pressures $p_1 = 1$ atm and $p_2 = 2$ atm, respectively. When the partition is removed, the mixture attains an equilibrium pressure of:
 - (1) 1.4 atm


ANS.4


- (2) 1.8 atm
- (3) 1.3 atm
- (4)[1.6 atm
- De Broglie wavelength of an electron orbiting in the n = 2 state of hydrogen atom is close to (Given Bohr radius = 0.052 nm)
 - (1) 1.67 nm
 - (2) 2.67 nm
 - $(3) = 0.067 \, nm$ ANS.4
 - (4) 0.67 nm
- To an ac power supply of 220 V at 50 Hz, a resistor of 20Ω , a capacitor of reactance 25Ω and an inductor of reactance 45Ω are connected in series. The corresponding current in the circuit and the phase angle between the current and the voltage is, respectively -
 - (1) 15.6 A and 30° K
 - (2) 15.6 A and 45° ANS.4
 - (3) 7.8 A and 30°
 - (4) 7.8 A and 45°

Which of the following options represent the variation of photoelectric current with property of light shown on the x-axis?












- A pipe open at both ends has a fundamental frequency f in air. The pipe is now dipped vertically in a water drum to half of its length. The fundamental frequency of the air column is now equal to:
 - (1) $\frac{3f}{2}$ (2) 2f ANS.4
 - $(3) \quad \frac{f}{2} \qquad \qquad (4) \quad f$

[Contd...

Two identical point masses P and Q, suspended from two separate massless springs of spring constants k_1 and k_2 , respectively, oscillate vertically. If their maximum speeds are the same, the ratio (A_Q/A_P) of the amplitude A_Q of mass Q to the amplitude A_P of mass P is:



- $(3) \quad \frac{k_2}{k_1}$
- (4) $\frac{k_1}{k_2}$
- The output (Y) of the given logic implementation is similar to the output of an/a ____ gate.



- (1) OR
- (2) NOR
- (3) AND
- (4) NAND
- An oxygen cylinder of volume 30 litre has 18.20 moles of oxygen. After some oxygen is withdrawn from the cylinder, its gauge pressure drops to 11 atmospheric pressure at temperature 27°C. The mass of the oxygen withdrawn from the cylinder is nearly equal to:

[Given,
$$R = \frac{100}{12} J mol^{-1}K^{-1}$$
, and molecular mass of $O_2 = 32$, ANS.1

1 atm pressure = $1.01 \times 10^5 N/m$]

- (1) 0.116 kg
- (2) 0.156 kg
- (3) 0.125 kg
- (4) 0.144 kg

- In a certain camera, a combination of four similar thin convex lenses are arranged axially in contact. Then the power of the combination and the total magnification in comparison to the power (p) and magnification (m) for each lens will be, respectively ANS 1
 - (1) 4p and m^4
- (2) p^4 and m^4
- (3) 4p and 4m
- (4) p^4 and 4m
- Two gases A and B are filled at the same pressure in separate cylinders with movable pistons of radius r_A and r_B , respectively. On

supplying an equal amount of heat to both the systems reversibly under constant pressure, the pistons of gas A and B are displaced by 16 cm and 9 cm, respectively. If the change in their internal energy is the same, then the ratio

$$r_A/r_B$$
 is equal to'

- 1) $\frac{2}{\sqrt{3}}$
- (2) $\frac{\sqrt{3}}{2}$
 - ANS.4

- (3) $\frac{4}{3}$
- $\frac{3}{4}$
- A balloon is made of a material of surface tension S and its inflation outlet (from where gas is filled in it) has small area A. It is filled with a gas of density ρ and takes a spherical shape of radius R. When the gas is allowed to flow freely outlof it, its radius r changes from R to 0 (zero) in time T. If the speed v(r) of gas coming out of the balloon depends on r as r^a and $T \propto S^\alpha A^\beta \rho^\gamma R^\delta$ then ANS 1


(1)
$$a = -\frac{1}{2}, \alpha = -\frac{1}{2}, \beta = -1, \gamma = \frac{1}{2}, \delta = \frac{7}{2}$$

(2)
$$a = \frac{1}{2}, \alpha = \frac{1}{2}, \beta = -\frac{1}{2}, \gamma = \frac{1}{2}, \delta = \frac{7}{2}$$

(3)
$$a = \frac{1}{2}, \alpha = \frac{1}{2}, \beta = -1, \gamma = +1, \delta = \frac{3}{2}$$

(4)
$$a = -\frac{1}{2}, \alpha = -\frac{1}{2}, \beta = -1, \gamma = -\frac{1}{2}, \delta = \frac{5}{2}$$

30 A bob of heavy mass m is suspended by a light string of length l. The bob is given a horizontal velocity v_0 as shown in figure. If the string gets slack at some point P making an angle θ from the horizontal, the ratio of the speed v of the bob at point P to its initial speed v_0 is:



- $(1) \quad \left(\frac{\cos\theta}{2+3\sin\theta}\right)^{1/2}$
- (2) $\left(\frac{\sin\theta}{2+3\sin\theta}\right)^{1/2}$
- (3) $(\sin\theta)^{1/2}$
- $(4) \quad \left(\frac{1}{2+3\sin(\theta)}\right)^{1/2}$
- A physical quantity P is related to four observations a, b, c and d as follows:

$$P = a^3b^2 / c\sqrt{d}$$

The percentage errors of measurement in a, b, c and d are 1%, 3%, 2%, and 4% respectively. The percentage error in the quantity P is

- (1) 13%
- ri)
- (2) 15%

ANS.2

- (3) 10%
- (4) 2%

- The Sun rotates around its centre once in 27 days. What will be the period of revolution if the Sun were to expand to twice its present radius without any external influence? Assume the Sun to be a sphere of uniform density.
 - (1) 115 days
- (2) 108 days

ANS.2


- (3) 100 days
- 4) 105 days
- n
- The radius of Martian of bit around the Sun is about 4 times the radius of the orbit of Mercury. The Martian year is 687 Earth days.

 Then which of the following is the length of year on Mercury?
 - (1) 172 earth days
 - (2) 124 earth days
 - (3) 88 earth days ANS.3
 - (4) 225 earth days
- A wire of resistance R is cut into 8 equal pieces. From these pieces two equivalent resistances are made by adding four of these together in parallel. Then these two sets are added in series. The net effective resistance of the combination is:
 - $\frac{R}{16}$ ANS.1
- (2) $\frac{R}{8}$
- (3) $\frac{R}{64}$
- $(4) \quad \frac{R}{32}$
- A photon and an electron (mass m) have the same energy E. The ratio

 $(\lambda_{\text{photon}}/\lambda_{\text{electron}})$ of their de Broglie wavelengths is: (c is the speed of light)

- (1) $c\sqrt{\frac{2m}{E}}$ ANS.1
- $\frac{1}{c}\sqrt{\frac{E}{2m}}$
- (3) $\sqrt{\frac{E}{2m}}$
- $(4) c\sqrt{2mE}$

36 A sphere of radius R is cut from a larger solid sphere of radius 2R as shown in the figure. The ratio of the moment of inertia of the smaller sphere to that of the rest part of the sphere about the Y-axis is:



- An electron (mass 9×10^{-31} kg and 37 charge 1.6×10⁻¹⁹C) moving with speed c/100 (c = speed of light) is injected into a magnetic field B of magnitude 9×10⁻⁴ T perpendicular to its direction of motion. We wish to apply an uniform electric field E together with the magnetic field so that the electron does not deflect from its path. Then (speed of light $c = 3 \times 10^8 \text{ ms}^{-1}$
 - ANS.4 (1) \vec{E} is parallel to \vec{B} and its magnitude is 27×10² V m⁻¹
 - (2) \overrightarrow{E} is parallel to \overrightarrow{B} and its magnitude is 27×10⁴ V m⁻¹
 - (3) E is perpendicular to B and its magnitude is 27×10⁴ V m⁻¹
 - E is perpendicular to B and its magnitude is 27×10² V m⁻¹

The electric field in a plane electromagnetio wave is given by

$$E_{2} = 60 \cos (5x) + 1.5 \times 10^{9} t) V / m.$$

Then expression for the corresponding magnetic field is (here subscripts denote the direction of the field):

(1)
$$B_z = 60\cos(5x + 1.5 \times 10^9 t)T_1$$

(2)
$$B_y = 60 \sin (5x + 1.5 \times 10^9 t)T$$
 ANS.3

(3)
$$B_y = 2 \times 10^{-7} \cos(5x + 1.5 \times 10^9 t)T$$


(3)
$$B_y = 2 \times 10^{-7} \cos (5x + 1.5 \times 10^9 t) T$$

(4) $B_x = 2 \times 10^{-7} \cos (5x + 1.5 \times 10^9 t) T$

A body weighs 48 N on the surface of the 39 earth. The gravitational force experienced by the body due to the earth at a height equal to one-third the radius of the earth from its surface is:

- (2) 36 N
- (3) 16 N
- (4) 27 N ANS.4
- 40 An unpolarized light beam travelling in air is incident on a medium of refractive index (1.73) at Brewster's angle. Then-
 - (H) both reflected and transmitted light are perfectly polarized with angles of reflection and refraction close to 60° and 30°, respectively. ANS.3
 - (2) transmitted light is completely polarized with angle of refraction close to 30°
 - reflected light is completely polarized and the angle of reflection is close to 60°
 - (4) reflected light is partially polarized and the angle of reflection is close to 30°

A constant voltage of 50 V is maintained 41 between the points A and B of the circuit shown in the figure. The current through the branch CD of the circuit is:



- (1) 2.5 A
- (3) 1.5 A
- The plates of a parallel plate capacitor are 42 separated by d) Two slabs of different dielectric

constant K_1 and K_2 with thickness $\frac{3}{8}d$ and respectively are inserted in the capacitor. Due to this, the capacitance becomes two times larger than when there is nothing between the plates.

If $K_1 = 1.25 K_2$, the value of K_1 is:


- (1) 1.60

- (3) 2.66
- (2) 11)33 (4) 2.33 ANS.3
- Consider the diameter of-a spherical object 43 being measured with the help of a Vernier callipers. Suppose its 10 Vernier Scale Divisions (V.S.D.) are equal to its 9 Main Scale Divisions (M.S.D.). The least division in the M.S. is 0.1 cm and the zero of V.S. is at x = 0.1 cm when the jaws of Vernier callipers are closed.

If the main scale reading for the diameter is M = 5 cm and the number of coinciding vernier division is 8, the measured diameter after zero error correction, is

- (1) 4.98 cm
- (2) 5.00 cm
- (3) 5.18 cm
- (4) 5.08 cm

- A 2 amp current is flowing through two different small circular copper coils having (radii)ratio (1:2) The ratio of their respective magnetic moments will be
 - (1) 2:1
- 117
- (2) 4:1
- (3) 1:4 ANS.3
- 1
- (4) 1:2
- Consider a water tank shown in the figure. 45) It has one wall at x = L and can be taken to be very wide in the z direction. When filled with a liquid of surface tension Sand density p, the liquid surface makes angle $\theta_0(\theta_0 \ll 1)$ with the x-axis at x = L. If y(x) is the height of the surface then the equation for y(x) is:



(take $\theta(x) = \sin \theta(x) = \tan \theta(x) = \frac{dy}{dx}$, g is the acceleration due to gravity)

$$(1) \quad \frac{d^2y}{dx^2} = \sqrt{\frac{\rho g}{S}}$$

(2)
$$\frac{dy}{dx} = \sqrt{\frac{\rho g}{S}}x$$

(3)
$$\frac{d^2y}{dx^2} = \frac{\rho g}{S}x$$

$$(4) \frac{d^2y}{dx^2} = \frac{\rho g}{S}y \quad ANS.4$$

ldentify the suitable reagent for the following conversion.

- (1) (i) NaBH₄, (ii) $H^{+}/H_{2}O^{+}$
- (2) H₂ / Pd-BaSO₄ / Pd-BaSO₄
- (3) (i) LiAlH₄, (ii) H⁴/H₂O

(i) AlH(iBu)₂ (ii) H₂O ANS.4

- The correct order of decreasing acidity of the following aliphatic acids is:
 - (1) HCOOH > $CH_3COOH > \frac{ANS.1}{(CH_3)_2CHCOOH} (CH_3)_3CCOOH$
 - (2) HCOOH > (CH₃)₃CCOOH > (CH₃)₂CHCOOH > CH₃COOH
 - (CH₃)₃CCOOH > (CH₃)₂CHCOOH > CH₃COOH > HCOOH
 - (4) $CH_3COOH > (CH_3)_2CHCOOH > (CH_3)_3CCOOH > HCOOH$
- Which one of the following reactions does NOT belong to "Lassaigne's test"?
 - (1) Na + X $\xrightarrow{\Delta}$ +NaX ANS.2

$$2CuO + C - \frac{1}{\Delta} 2Cu + CO_2$$

- (3) Na + C + N $\xrightarrow{\Delta}$ NaCN
- $(4) \quad 2Na + S \xrightarrow{\Delta} Na_2S$
- 49 If the rate constant of a reaction is 0.03 s⁻¹, how much time does it take for 7.2 mol L⁻¹ concentration of the reactant to get reduced to 0.9 mol L⁻¹?

(Given: $\log 2 = 0.301$)

- (1) 210 s
- (2) 21.0 s
- 69.3 s ANS.3 (4) 23.1 s

50 Given below are two statements:

Statement I: A hypothetical diatomic molecule with bond order zero is quite stable.

Statement II: As bond order increases, the bond length increases.

In the light of the above statements, choose the most appropriate answer from the options given below:

ANS.4

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement II are true
- Both Statement I and Statement II are false
- Out of the following complex compounds, which of the compound will be having the minimum conductance in solution?
 - (1) $\left[\operatorname{Co}(\operatorname{NH}_3)_6\right]_{0}^{\infty}$
 - (2) $\left[\text{Co(NH}_3)_5 \right]$ CI
 - (3) $\left[\operatorname{Co}(\operatorname{NH}_3)_3\operatorname{Cl}_3\right]$ ANS.3
- Which of the following aqueous solution will exhibit highest boiling point?
 - (1) 0.01M Na₂SQ₄ ANS.1
 - (2) $0.015M C_6 H_{12} O_6$
 - (3) 0.01M Urea 1.
 - (4) 0.01M KNO₃ 12

Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): I undergoes S_N^2 reaction faster than C_1 .

Reason (R): Iodine is a better leaving group because of its large size.

In the light of the above statements, choose the **correct** answer from the options given below.

- (1) A is true but R is false
- (2) A is false but R is true ANS.3
- Both A and R are true and R is the correct explanation of A
- (4) Both A and R are true but R is not the correct explanation of A
- Consider the following compounds: $\underline{KO_2}$, $\underline{H_2O_2}$ and $\underline{H_2SO_4}$.

The oxidation states of the underlined elements in them are, respectively,

- (1) +1, -2, and +4X
- (2) +4, -4, and +6

(3) +1, -1, and +6 ANS.3

- (4) +2, -2, and +6
- 55 Match List I with List II

List-

List-II

- A. Haber process
- I. Fe catalyst
- B. Wacker oxidation
- II. PdCl₂
- C. Wilkinson catalyst
- III. $[(PPh_3)_3RhCl]$
- D. Ziegler catalyst
- IV. TiCl₄ with

Choose the correct answer from the options

given below:

ANS.1

- (1) A-I, B-II, C-III, D-IV
- (2) A-I, B-IV, C-III, D-II
- (3) A-I, B-II, C-IV, D-IN
- (4) A-II, B-III, C-I, D-IX

Given below are two statements:

Statement I: Like nitrogen that can form ammonia, arsenic can form arsine.

Statement II: Antimony cannot form antimony pentoxide.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect
- (2) Statement I is incorrect but Statement II is correct
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect
- 57 Given below are two statements:

Statement I: Ferromagnetism is considered as an extreme form of paramagnetism.

Assument II: The number of unpaired electrons in a Cr^2 ion (Z = 24) is the same as that of a Nd^{3+} ion (Z = 60).

In the light of the above statements, choose the **correct** answer from the options given below: ANS.1

- Statement I is true but Statement II is false
 - (2) Statement I is false but Statement II is true
 - (3) Both Statement I and Statement II are true
 - (4) Both Statement II are false

- Which one of the following reactions does NOT give benzene as the product?
 - (1) H-C≡C-H red hot Jron Tube at 873 K

- $(3) \qquad \begin{array}{c} O \\ C O \text{ Na} & \frac{\text{sodalime}}{\Delta} \end{array}$
- (4) $\frac{\text{Mo}_2\text{O}_3}{773\text{K}, 10 20 \text{ atm.}}$
- 59 Match List I with List II
 - List-I

List-II

- A. XeO_3
- I sp³d; linear
- $B. XeF_2$
- II. sp³; pyramidal
- C. XeOF
- III. sp³d³; distorted

octahedral

- D. XeF₆
- IV. sp³d²; square
- m pyramidal

Choose the **correct** answer from the options given below:

- (1) A-IV, B-II, C-III, D-I
- (2) A-IV, B-II, C-I, D-III
- (3) A-II, B-I, C-IV, D-III ANS.3
 - (4) A-II, B-I, C-III, D-IV
- How many products (including stereoisomers) are expected from monochlorination of the following compound?

H₃C CH - CH₂ - CH₃

- (1) 5
- (2) 6
- (3) 2

- ANS.2
- .

48 English]

- Which of the following statements are (rue?
 - A. Unlike Ga that has a very high melting point, Cs has a very low melting point.
 - B. On Pauling scale, the electronegativity values of N and Cl are not the same.
 - C. Ar, K⁺, Cl⁻, Ca²⁺, and S²⁻ are all isoelectronic species.
 - D. The correct order of the first ionization enthalpies of Na, Mg, Al, and Si is Si > Al > Mg > Na.
 - E. The atomic radius of Cs is greater than that of Li and Rb.

Choose the **correct** answer from the options given below:

- (1) C and D only
- (2) A, C, and E only ANS.4
- (3) A, B, and E only
- (A) C and E only
- The standard heat of formation, in kcal/mol of Ba²⁺ is:

[Given: standard heat of formation of SO_4^{2-} ion (aq) = -216 kcal/mol, standard heat of crystallisation of

 $BaSO_4(s) = -4.5$ kcal/mol, standard heat of formation of $BaSO_4(s) = -349$ kcal/mol]

- (1) + 133.0
- (2) + 220.5 ANS.3
- (3) 128.5
- (4) 133.0
- 63 Match List I with List II

List-I

List-II


(Example)
A. Humidity


- (Type of Solution)


 I. Solid in solid
- B. Alloys
- II. Liquid in gas
- C. Amalgams
- III. Solid in gas
- D. Smoke
- IV. Liquid in solid

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-III, B-II, C-I, D-IV
- (3) A-II, B-IV, C-I, D-III ANS.4
- A-II, B-I, C-IV, D-III







65. Sugar 'X'

is found in honey.

is a keto sugar. B.

exists in α and β - anomeric forms.

D. is laevorotatory

'X' is:

ANS.4

(1) Maltose^X

(2) Sucrose

(3) D-Glucosey

D-Fructose

Total number of possible isomers (both 66 structural as well as stereoisomers) of cyclic ethers of molecular formula (C4H8O)s:

(2) 11

(3) 6

(4) 8

For the reaction $A(g) \rightleftharpoons 2B(g)$, 67 backward reaction rate constant is higher than the forward reaction rate constant by a factor of 2500, at 1000 K.

[Given: $R = 0.0831 \text{ L atm mol}^{-1} \text{ K}^{-1}$]

K_p for the reaction at 1000 K is

(1) 0.033

ANS.1 (2) 0.021

(3) 83.1

(4) 2.077×10^5

U

The ratio of the wavelengths of the light 68 absorbed by a Hydrogen atom when it undergoes $n = 2 \rightarrow n = 3$ and $n = 4 \rightarrow n = 6$ transitions, respectively, is

ANS.2

If the molar conductivity (Λ_m) of a 69 0.050 mol L-1 solution of a monobasic weak acid is 90 S cm2 mol-1, its extent (degree) of dissociation will be

[Assume $\Lambda_{+}^{\circ} = 349.6 \,\mathrm{S \,cm^2 \,mol^{-1}}$ and

ANS.1 $\Lambda_{-}^{\circ} = 50.4 \,\mathrm{S \,cm}^{2} \,\mathrm{mol}^{-1}$.]

(2) 0.215

(3) 0.115

(4) 0.125

48 English]

13 .

[Contd...

- 70 5 moles of liquid X and 10 moles of liquid Y make a solution having a vapour pressure of (70 torn) The vapour pressures of pure X and Y are 63 torr and 78 torr respectively. Which of the following is true regarding the described solution?
 - ANS.4 (1) The solution is ideal.
 - (2) The solution has volume greater than the sum of individual volumes.
 - (3) The solution shows positive deviation. (4) The solution shows negative deviation.
- 71 Among the following, choose the ones with equal number of atoms.
 - A. 212 g of Na_2CO_3 (s) [molar mass = 106 g]6
 - B. 248 g of Na₂O₂(s) [molar mass = 62 g]-12
 - C. 240 g of NaOH (s) [molar mass = 40 g] $\rightarrow 2$
 - D. 12 g of H₂ (g) [molar mass = 2 g] 12
 - E. 220 g of $CO_2(g)$ [molar mass = 44 g] -15 Choose the correct answer from the options given below:
 - B, C, and D only
 - (2) B, D, and E only
 - (3) A, B, and C only ANS.4
 - (4) A, B, and D only
- Which of the following are paramagnetic?

$$A = \begin{bmatrix} +2 \\ \text{NiCl}_4 \end{bmatrix}^{2-}$$

$$A = \begin{bmatrix} 1 & 1 & 1 & 1 \\ \text{NiCl}_4 \end{bmatrix}^{2-1} \qquad B. \quad \text{Ni}(\text{CO})_4$$

$$A = \begin{bmatrix} 1 & 1 & 1 \\ \text{Ni}(\text{CN})_4 \end{bmatrix}^{2-1} \qquad D = \begin{bmatrix} 1 & 1 \\ \text{Ni}(\text{H}_2\text{O})_6 \end{bmatrix}^{2+1}$$

E. $Ni(PPh_3)_4$

Choose the correct answer from the options given below:

- ANS.1 (1) A and D only
- (2) A, D and E only
- (3) A and C only
- (4) B and E only
- If the half-life $(t_{1/2})$ for a first order reaction is 1 minute, then the time required for 99.9% completion of the reaction is closest to:
 - (1) 5 minutes
- (2) 10 minutes
- (3) 2 minutes
- (4) 4 minutes

48 English l

ANS.2

14

Energy and radius of first Bohr orbit of (He+) and Li2) are

[Given $R_H = 2.18 \times 10^{-18} \text{ J}$, $a_0 = 52.9 \text{ pm}$]

(1)
$$E_n(Li^{2+}) = 19.62 \times 10^{-16} \text{ J};$$

 $r_n(Li^{2+}) = 17.6 \text{ pm}$

$$E_n(He^+) = 8.72 \times 10^{-16} \text{ J};$$

$$r_n(He^+) = 26.4 \text{ pm}$$

$$r_n(He^+) = 26.4 \text{ pm}$$

$$E_n(Li^{2+}) = -8.72 \times 10^{-16} \text{ J};$$

$$r_n(Li^{2+}) = 17.6 \text{ pm}$$

$$r_n(Li^{2+}) = 17.6 \text{ pm}$$

$$E_n(He^+) = -19.62 \times 10^{-16}$$

 $r_n(He^+) = 17.6 \text{ pm}$

$$_{\rm m}({\rm He^+}) = 17.6~{\rm pm}$$

$$E_n(Li^{2+}) = 19.62 \times 10^{-18} \text{ J}; \text{ ANS.3}$$

$$r_n(Li^{2+}) = 17.6 \text{ pm}$$
 $E_n(He^+) = -8.72 \times 10^{-1.8} \text{J};$
 $r_n(He^+) = 26.4 \text{ pm}$

$$r_n(He^+) = 26.4 \text{ pm}$$


$$E_n(Li^{2+}) = 28.72 \times 10^{-18} \text{ J};$$
 $r_n(Li^{2+}) = 26.4 \text{ pm}$

$$r_n(L1^{-1}) = 20.4 \text{ pm}$$

$$E_n(He^+) = -19.62 \times 10^{-1} \text{M};$$

$$r_n(He^+) = 17.6 \text{ pm}$$

75 Among the given compounds I-III, the correct order of bond dissociation energy of C-H bond marked with * is:



- $(2) \quad II > III > I$
- (3) II > I > III
- $(4) \quad I > II > III$
- 76 Dalton's Atomic theory could not explain which of the following?
 - (1) Law of multiple proportion
 - (2) Law of gaseous volume ANS.2
 - (3) Law of conservation of mass
 - (4) Law of constant proportion

[Contd...

- 77 Identify the correct orders against the property mentioned

 - A. $H_2O > NH_3 > CHCl_3$ dipole moment B. $XeF_4 > XeO_3 > XeF_2$ number of lone pairs on central atom
 - - C. O-H > C-H > N-O bond lengthD. $N_2 > O_2 > H_{2\gamma}^2 bond enthalpy$

Choose the correct answer from the options given below:

- (1) A, C only
- (3) A, D only
- (2) B, C only (4) B, D only (7).
- 78 Match List I with List II.

List I	List II
(Name of	(Deficiency
Vitamin)	disease)


- Vitamin B₁₂ I. A. Cheilosis
- Vitamin D II. B. Convulsions
- Vitamin B₂ III. Rickets C.
- Vitamin B₆ IV. Pernicious anaemia Choose the correct answer from the options given below:
- (1) A-II, B-III, C-I, D-IV ANS.4
- (2) A-IV, B-III, C-II, D-I
- (3) A-I, B-III, C-II, D-IV (4) A-IV, B-III, C-I, D-II
- The correct order of decreasing basic strength 79 of the given amines is:
- (1) N-ethylethanamine > ethanamine >
 - N-methylaniline > benzenamine (2) benzenamine > ethanamine > ANS.1
 - N-methylaniline > N-ethylethanamine (3) N-methylaniline > benzenamine >
 - ethanamine > N-ethylethanamine
 - (4) N-ethylethanamine > ethanamine > benzenamine > N-methylaniline
- The correct order of the wavelength of light 80 absorbed by the following complexes is,
 - A. $\left[\operatorname{Co}(\operatorname{NH}_3)_6\right]^{3+}$ B. $\left[\operatorname{Co}(\operatorname{CN})_6\right]^{3-}$ C. $\left[\operatorname{Cu}(\operatorname{H}_2\operatorname{O})_4\right]^{2+}$ D. $\left[\operatorname{Ti}(\operatorname{H}_2\operatorname{O})_6\right]^{3+}$

Choose the correct answer from the options given below:

- (1) C < D < A < B.
- (2) C < A < D < B
- (3) B < D < A < C(A) B < A < D < C

Which one of the following compounds does 81 not decolourize bromine water?

- ANS.3
- Predict the major product 'P' in the following 82 sequence of reactions -



83 Match List I with List II

List I		List II
(Mixture)		(Method of
		Separation)
CHCl ₂ +	I.	Distillation

- CHCl₃ + C₆H₅NH₂
 - under reduced pressure Crude oil in Steam petroleum distillation
- industry Glycerol from C. spent-lye

D.

III. Fractional distillation IV. Simple

distillation Choose the correct answer from the options given below:

(H) A-III, B-IV, C-I, D-IIK

Aniline - water

- (2) A-III, B-IV, C-II, D-IX
- ANS.3 (3) A-IV, B-III, C-I, D-II
- (4) A-IV, B-III, C-II, D-IA

84	Which	among	the	following	electronic
					ip elements?

B.
$$[Ar]3d^34s^2$$

C.
$$[Kr]4d^{10}5s^25p^5$$

E.
$$[Rn]5f^06d_0^27s^2$$

Choose the **correct** answer from the option given below:

- (1) D and E only
- (2) A, C and D only
- (3) B and E only

Which one of the following compounds can exist as cis-trans isomers?

- (1) 1,1-DimethylcyclopropaneX.
- (2) 1,2-Dimethylcyclohexanex ANS.2
- (3) Pent-1-ene *
- (4) 2-Methylhex-2-ene

Phosphoric acid ionizes in three steps with their ionization constant values

$$K_{a_1}$$
, K_{a_2} and K_{a_3} , respectively,

while K is the overall ionization constant.
Which of the following statements are true?

A.
$$\log K = \log K_{a_1} + \log K_{a_2} + \log K_{a_3}$$

B. H_3PO_4 is a stronger acid than $H_2PO_4^-$ and HPO_4^{2-} .

C.
$$K_{a_1} > K_{a_2} > K_{a_3}$$
D. $K_{a_1} = \frac{K_{a_3} + K_{a_2}}{2}$

Choose the **correct** answer from the options given below:

- (1) B, C and D only ANS.2
- A, B and C only
- (3) A and B only
- (4) A and C only

87 Match List I with List II

List I	List II
(Ion)	(Group Number
23	in Cation Analysis)
C-2+11)	I Group-I

Choose the correct answer from the options given below:

- (2) A-III, B-II, C-I, D-IV
- (3) A-III, B-IV, C-II, D-I

$$N_2(g) + O_2(g) \rightleftharpoons 2NO(g)$$
 can be obtained at

[ΔH of the reaction = (+)180.7 kJ mol⁻¹]

A. higher temperature

B. lower temperature X

higher concentration of N₂

D. higher concentration of O₂

Choose the correct answer from the options given below

(1) B, C, Donly*

A, C, D only ANS.2

- (3) A, D only
- (4) B, C only

Given below are two statements:

Statement I: Benzenediazonium salt is prepared by the reaction of aniline with introus acid at 273 - 278 K. It decomposes easily in the dry state.

Statement II: Insertion of iodine into the benzene ring is difficult and hence iodobenzene is prepared through the reaction of benzenediazonium salt with KI.

In the light of the above statements, choose the most appropriate answer from the options given below:

Statement I is correct but Statement II is incorrect TH

Statement I is incorrect but Statement II is correct

Both Statement I and Statement II are correct ANS.3

Both Statement I and Statement II are incorrect

The major product of the following reaction is: 90

$$\begin{array}{c} \text{(i) } \text{CH}_3\text{MgBr} \\ \text{(excess)} \\ \hline \text{(ii) } \text{H}_3\text{O}^+ \\ \hline \\ \text{(iii) } \text{H}_3\text{O}^+ \\ \hline \\ \text{(iii$$

Tet R 91 BamH1 B Galactosidase amp

> In the above represented plasmid an alien piece of DNA is inserted at EcoRI site. Which of the following strategies will be chosen to select the recombinant colonies?

White color colonies will be selected. ANS.1

Blue color colonies grown on ampicillin plates can be selected. -

Using ampicillin & tetracyclin containing medium plate.

Blue color colonies will be selected.

The protein portion of an enzyme is called: 92

Apoenzyme ANS.1

(2) Prosthetic group

(3) Cofactor

n

Coenzyme

Given below are two statements: 93

Statement I: The primary source of energy In an ecosystem is solar energy.

Statement II: The rate of production of organic matter during photosynthesis in an ecosystem is called net primary productivity

In the light of the above statements, choose the most appropriate answer from the options given below:

CH) Statement I is correct but statement II ANS.1 is incorrect

Statement I is incorrect but statement II is correct

Both statement I and statement II (3) are correct

Both statement I and statement II are incorrect

Given below are two statements: One is 94 labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): A typical unfertilised, angiosperm embryo sac at maturity is 8 nucleate and 7-celled.

Reason (R): The egg apparatus has 2 polar nuclei.

In the light of the above statements, choose the correct answer from the options given below:

(H) A is true but R is false ANS.1

- (2) A is false but R is true
- Both A and R are true and R is the correct (3) explanation of A
- Both A and R are true but R is NOT the correct explanation of A
- Neoplastic characteristics of cells refer to: 95
 - A mass of proliferating cell
 - Rapid growth of cells
 - Invasion and damage to the surrounding C. tissue
 - Those confined to original location

Choose the correct answer from the options given below:

- (1) A, B, D only
- (2) B, C, D only
- (3) A, B only?

A, B, C only ANS.4 air

- Which one of the following is the characteristic feature of gymnosperms? 96
 - (1) Seeds are absent.
 - (2) Gymnosperms have flowers for reproduction.
 - (3) Seeds are enclosed in fruits.
 - (A) Seeds are naked. ANS.4

Match List - I with List - II. 97

List - I

List - II

A. Progesterone

Pars intermedia II. Ovary

B. Relaxin

III. Adrenal

C. Melanocyte stimulating hormone Medulla

D. Calecholamines

IV. Corpus luteum

Choose the correct answer from the options given below:

- A-II, B-IV, C-I, D-III
- (2) A-III, B-II, C-IV, D-IX
- (3) AHIV, B-II, C-I, D-III ANS.3
- (4) AFIV, B-II, C-III, D-IK

Which chromosome in the human genome has the highest number of genes? 98

- (1) Chromosome 1 ANS.1
- (2) Chromosome 10X
- (3) Chromosome X
- (4) Chromosome YX

Which of the following statements about 99 RuBisCO)s true?

- (1) It is an enzyme involved in the photolysis
- of water. ANS.2 (2) It catalyzes the carboxylation of RuBP.
- (3) It is active only in the dark.
- (4) It has higher affinity for oxygen than carbon dioxide.

The first menstruation is called: 100

- (1) Diapause
- (2) Ovulation
- (3) Menopause
- (4) Menarche ANS.4

Which of the following genetically engineered organisms was used by Eli Lilly to prepare 101 human linsulin?

- (1) Virus
- (2) Phage
- (3) Bacterium

18

(4) Yeast

ANS.3

[Contd.

Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R)

Assertion (A): All vertebrates are chordates but all chordates are not vertebrate.

Reason (R): The members of subphylum vertebrata possess notochord during the embryonic period, the notochord is replaced by a cartilaginous or bony vertebral column in adults.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true

Both A and R are true and R is the correct explanation of A

- (4) Both A and R are frue but R is not the correct explanation of A
- What is the main function of the spindle fibers during mitosis?
 - (1) To repair damaged DNAK
 - (2) To regulate cell growth:

ANS.3 (2) To separate the chromosomes

(4) To synthesize new DNA

104 Match List I with List II:

List-I

List-II

- A. Alfred Hershey and Martha
- Streptococcus pneumoniae
- Chase
 B. Euchromatin
- II. Densely packed and dark-stained
- C. Frederick
 Griffith
- III. Loosely packed and light-stained
- D. Heterochromatin
- IV. DNA as genetic
- material

confirmation

Choose the **correct** answer from the options given below:

A-IV, B-III, C-I, D-II ANS.1

- (2) A-III, B-II, C-IV, D-I
- (3) A-II, B-IV, C-I, D-III
- (4) A-IV, B-II, C-I, D-III

48_English]

105 Match List I with List II.

List I

List II

- A. Adenosine
- I. Nitrogen base
- B. Adenylic acid
- Nucleotide
- C. Adenine
- III. Nucleoside
- D. Alanine
- IV. Amino acid

Choose the option with all correct matches.

12.99

MajII.

- (t) A-III, B-II, C-I, D-IV ANS.1
- (2) A-II, B-III, C-I, D-IV
- (3) A-III, B-IV, C-II, D-I K
- (4) A-III, B-II, C-IV, D-I
- In frog, the Renal portal system is a special venous connection that acts to link:
 - (1) Kidney and intestine
 - (2) Kidney and lower part of body ANS.2
 - (3) Liver and intestine
 - (4) Liver and kidney
- 107 Which of the following are the post-transcriptional events in an eukaryotic cell?
 - A. Transport of pre-mRNA to cytoplasm prior to splicing.
 - B. Removal of introns and joining of exons.
 - C. Addition of methyl group at 5' end of hnRNA.
 - D. Addition of adenine residues at 3' end of hnRNA.
 - E. Base pairing of two complementary RNAs.

Choose the **correct** answer from the options given below:

- (1) B, C, E only
- (2) C, D, E only $^{\chi}$
- (3) A, B, C only
- (4) B, C, D only ANS.4
- 108 Polymerase chain reaction (PCR) amplifies DNA following the equation.
 - (1) 2n + 1
- $(2) 2N^2$
- (3) N^2
- (4) 2n ANS.4

109 Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): Both wind and water pollinated flowers are not very colourful and do not produce nectar.

Reason (R): The flowers produce enormous amount of pollen grains in wind and water pollinated flowers.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A

ANS 4 Both A and R are true but R is NOT the correct explanation of A

Epiphytes that are growing on a mango branch is an example of which of the following?

- (1) Predation
- (2) Amensalism

ANS.3 (37) Commensalism

(4) Mutualism

111 Find the correct statements:

- A In humant pregnancy, the major organ systems are formed at the end of 12 weeks.
- B. In human pregnancy the major organ systems are formed at the end of 8 weeks.
- C. In human pregnancy heart is formed after one month of gestation.
- D. In human pregnancy, limbs and digits develop by the end of second month.
- E. In human pregnancy the appearance of hair is usually observed in the fifth month.


Choose the **correct**) answer from the options given below: 10)

(1) B, C, D and E OnlyX

ANS.2 A, C, D and E Only

- (3) A and E Only
- (4) B and C Only &

Identify the part of a bio-reactor which is used as a foam braker from the given figure.



(1) DX

(27) C ANS.2

(3) A

(4) B

113 Frogs respire in water by skin and buccal cavity and on land by skin, buccal cavity and lungs.

Choose the **correct** answer from the following:

- The statement is false for water but true for land NS.1
- (2) The statement is false for both the environment
- (3) The statement is true for water but false for land
- (4) The statement is true for both the environment
- Consider the following statements regarding function of adrenal medullary hormones:
 - A. It causes pupilary constriction
 - B. It is a hyperglycemic hormone
 - C. It causes piloerection
 - D. It increases strength of heart contraction.

 Choose the correct answer from the options given below.
 - (1) A, C and D Only
 - (2) D Only∝
 - (3) C and D Only

B, C and D Only ANS.4

115	Read	d the following statements on plant growth development.	119	Mat	ch List - I with	ı List	
	A.	Parthenocarpy can be induced by auxins.		7	List - I	-	List - II
,	В.	Plant growth regulators can be involved in promotion		A.	Head	*	Enzymes
	υ.	in promotion as well as inhibition of		B.	Middle piece	(H.	Sperm motility
		growth.	8	C.	Acrosome	ÇIĻI.	
	C.	Dedifferentiation is a pre-requisite for		D.	Tail		ver from the options
		re-differentiation.			en below :	u ansv	ver from the options
	D.	Abscisic acid is a plant growth promoter.		_	A-III, B-IV, C	-II. D-	·I
	E.	Anical dominance draws at all	C	` '	A-III, B-II, C-	4 4	
	L.	Apical dominance promotes the growth of lateral buds.		(3)	A-IV, B-III, C	-I, D-I	I. ANS.3
	Cho				A-IV, B-III, C-		
		ose the option with all correct statements.				4	
	(1)	A, D, E only	120				is an example of a
	(2)	B, D, E only	1	zy <u>g</u>	omorphic flowe	r?\	
	(3)	A, B, C only ANS.3		(H)	Pea ANS.1	(2)	Chilli
	(4)	A, C, E only		(3)	Petunia	<u>(4)</u>	Datura
		15	101	33.71			raniama agana fiv
116	Wh	ich of the following hormones released	121		ich of followir	ig-prg	ganisms cannot fix
110		n the pituitary is actually synthesized in the			Azotobacter	B.	Oscillatoria
		othalamus?		C.	Anabaena	D.	Volvox
	(1)	Follicle-stimulating hormone (FSH)	:	E.	Nostoc	Z)I	
	(2)	Adenocorticotrophic hormone (ACTH)				answ	er from the options
	(3)	Luteinizing hormone (LH)	,	_	en below:	N	
	2.11	Anti-diuretic hormone (ADH) ANS.4		` '	B only		E only
	-(4)	un		(3)	A only	(A)	D only ANS.4
		~ [5.	122	Whi	ich one of the fo	Tiowi	ng is an example of
117	Wh	ich of the following is an example of non- illed alcoholic beverage produced by yeast?	122		itu conservation		ing is an example of
		Survey		(1)	Zoos and botan	nical g	gardens ANS.1
	(H)	Beer ANS.1 (2) Rum		(2)	Protected areas		
	(3)	Whisky (4) Brandy		(3)	National Park	X Z	
		A. C.		(4)	Wildlife Sancti	uary	
(118)	Wh	at is the pattern of inheritance for polygenic				C	
9	trai	AND IN	123	Who Indi		- 14	ther of Ecology in
	(1)		100	(1)	Ram Udar	rU A	
	(2)	X-linked recessive inheritance pattern		(2)	Birbal Sahni		
	(3)	Mendelian inheritance pattern		(3)	S. R. Kashyap		
	(4)	L		(4)	Ramdeo Misra	MAN 0	NS.4
	(')	ANS.4	1				
48_I	Englis	sh]	21				[Contd

124 Given below are two statements:

Statement I: In the RNA world, RNA is considered the first genetic material evolved to carry out essential life processes. RNA acts as a genetic material and also as a catalyst for some important biochemical reactions in living systems. Being <u>reactive</u>, RNA is unstable.

statement II: DNA evolved from RNA and is a more stable genetic material. Its double helical strands being complementary, resist changes by evolving repairing mechanism.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Statement I is incorrect but statement II is incorrect.
- (2) Statement I is incorrect but statement II is correct
- Both statement I and statement II are correct ANS.3
- (4) Both statement I and statement II are incorrect

125 Given below are two statements:

Statement I: Transfer RNAs and ribosomal RNA do not interact with mRNA.

Statement II: RNA interference (RNAi) takes place in all eukaryotic organisms as a method of cellular defence.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect
- Statement I is correct I ANS.2
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect

126 Match List - I with List - II.

List - I

- A. Heart I. Erythropoietin
- B. Kidney
- C. Gastro-intestinal III. Atrial natriuretic tract factor
- D. Adrenal Cortex IV. Secretin

Choose the correct answer from the options given below:

- (1) A-I, B-III, C-IV, D-II
- A-III, B-I, C-IV, D-II ANS 2
- (3) A-II, B=I; C-III, D-IV
- (4) A-IV, B-III, C-II, D-I
- All living members of the class Cyclostomata are:
 - (1) Symbiotic
- (2) Ectoparasite ANS.2
- (3) Free living
- (4) Endoparasite
- 128 Streptokinase produced by bacterium Streptococcus is used for
 - (1) Liver disease treatment ANS.2
 - Removing clots from blood vessels
 - (3) Curd production
 - (4) Ethanol production
- Role of the water vascular system in Echinoderms is:
 - A. Respiration and Locomotion
 - B. Excretion and Locomotion
 - C. Capture and transport of food
 - D. Digestion and Respiration
 - E. Digestion and Excretion

Choose the **correct** answer from the options given below:

- (1) B and CrOnly
- (2) B, D and E Only.
- (3) A and B Only
- (4) A and C Only ANS.4

Match List I with List II. 130

List I

List II

- Pteridophyte A.
- I. Salvia
- Bryophyte B.
- II. Ginkgo
- Angiosperm C.
- III. Polytrichum
- D. Gymnosperm
- IV. Salvinia

15

Choose the option with all correct matches.

- (1) A-III, B-IV, C-I, D-II
- (2) A-IV, B-III, C-II, D-I (3) A-III, B-IV, C-II, D-I
- A-IV, B-III, C-I, D-II

Which are correct: 131

- Computed tomography and magnetic resonance imaging detect cancers of internal organs.
- B. Chemotherapeutics drugs are used to kill non-cancerous cells.
- α -interferon activate the cancer patients' immune system and helps in destroying the tumour.
- Chemotherapeutic drugs are biological response modifiers.
- In the case of leukaemia blood cell counts E. are decreased.

Choose the **correct** answer from the options given below:

- (1) C and D only
- (2) A and C only ANS.2
- (3) B and D only
- (4) D and E onlyx
- 132 What are the potential drawbacks in adoption of the IVF method?)
 - High fatality risk to mother
 - Expensive instruments and reagents B:
 - Husband/wife necessary for being donors C.
 - Less adoption of orphans D.
 - Not available in India E.
 - Possibility that the early embryo does not F.

Choose the correct answer from the options given below:

- (1) A, B, C, D only
- (2) A, B, C, E, F only
- ANS.3 (3) B, D, F only ≻
- A, C, D, F only

- 133 Consider the following:
 - A. The reductive division for the human female gametogenesis starts earlier than that of the male gametogenesis.
 - The gap between the first meiotic division B. and the second meiotic division is much shorter for males compared to females.
 - The first polar body is associated with the formation of the primary oocyte.
 - Luteinizing Hormone (LH) surge leads to D. disintegration of the endometrium and onset of menstrual bleeding.

Choose the correct answer from the options given below:

- (1) B and D are true,
- (2) B and C are true
- (3) A and B are true (4) A and C are true
- In bryophytes, the gemmae help in which one 134 of the following?
 - (1) Nutrient absorption
 - (2) Gaseous exchange
 - (3) Sexual reproduction
 - Asexual reproduction ANS.4
- Given below are two statements: one is 135 labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): The primary function of the Golgi apparatus is to package the materials made by the endoplasmic reticulum and deliver it to intracellular targets and outside the cell.

Reason (R): Vesicles containing materials made by the endoplasmic reticulum fuse with the cis face of the Golgi apparatus, and they are modified and released from the trans face of the Golgi apparatus.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A
- Both A and R are true but R is not the correct explanation of A

3	Which one of th to Reductionist	e following stat	ements refers	139	How many meiotic and mitotic divisions need to occur for the development of a mature
	(1) Chemical		study and	Entery	female gametophyte from the megaspore of mother cell in an angiosperm plant?
	understand	al approach t living organism	is. ANS.3	300	1 Meiosis and 3 Mitosis ANS
x ^a	understand	emical approach living organism ical approach	is.		(3) 2 Meiosis and 3 Mitosis
		living organism			(4) 1 Melosis and 2
137	After maturation the lymphocyte antigens to see tissue(s) like:	s migrate for in	teraction with	140	Which of the following type of immunity is present at the time of birth and is a non-specific type of defence in the human body? (1) Cell-mediated Immunity
:	A. thymusC. spleenE. Peyer's pa	D. lymp	marrowy h nodes		(2) Humoral Immunity (3) Acquired Immunity
	Choose the congiven below:	rrect answer fro	om the options		Innate Immunity ANS.4
	(1) E, A, B or (2) C, D, E or (3) B, C, D o	nly ANS.2		141	Statement I: Fig fruit is a non-vegetarian fruit
	(4) A, B, C o	**************************************			as it has enclosed fig wasps in it. Statement II: Fig wasp and fig tree exhibit
138	Match List I v		(1)		mutual relationship as fig wasp completes its
	List I A. The Evil (Lis Quartet I. Cr	st II yopreservation		life cycle in fig fruit and fig fruit gets pollinated by fig wasp.
	B. Ex situconservatiC. Lantana	II. Al	ien species vasion		In the light of the above statements, choose the most appropriate answer from the options given below:
•	camara		odiversity sses		(1) Statement I is correct but statement II is incorrect
	(1) A-III, B-	otion with all co	rrect matches.		(2) Statement I is incorrect but statement II is correct(3) Both statement I and statement II
	(3) A-III, B-	II, C-IV, D-I II, C-I, D-IV I, C-II, D-IV ANS.4	Ď G D		are correct (4) Both statement I and statement II are incorrect ANS.4
48_	English]	, u (O. T	A	24	[Contd

- Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R).
 - Assertion (A): Cells of the tapetum possess dense cytoplasm and generally have more than one nucleus.

Reason (R): Presence of more than one nucleus in the tapetum increases the efficiency of nourishing the developing microspore mother (cells)

In light of the above statements, choose the most appropriate answer from the options given below:

- (1) A is true but R is false ANS.3
- (2) A is false but R is true
- (3) Both A and Rare true and R is the correct explanation of A
- (4) Both A and R are true but R is NOT the correct explanation of A
- 143 From the statements given below choose the correct option :
 - A. The eukaryotic ribosomes are 80S and prokaryotic ribosomes are 70S.
 - B. Each ribosome has two sub-units.
 - C. The two sub-units of 80S ribosome are 60S and 40S while that of 70S are 50S and 30S.
 - The two sub-units of 80S ribosome are 60S D. and 20S and that of 70S are 50S and 20S.
 - The two sub-units of 80S are 60S and 30S E. and that of 70S are 50S and 30S.
 - (1) A, B, E are true
 - (2) B, D, E are true

ANS.3 (3) A, B, C are true

(4) A, B, D are true

- 144 Which one of the following enzymes contains 'Haem' as the prosthetic group?
 - (1) Succinate dehydrogenase
 - (2) Catalase ANS 2
 - (3) RuBisCo
 - (4) Carbonic anhydrase

- What is the name of the blood vessel that 145 carries deoxygenated blood from the body to the heart in a frog?
 - (1) Pulmonary vein
 - (2) Vena cava ANS.2
 - (3) Aorta
 - (4) Pulmonary artery



Given below are the stages in the life cycle of pteridophytes. Arrange the following stages in the correct sequence.

- A. Prothallus stage
- Meiosis in spore mother cells
- C. Fertilisation
- Formation of archegonia and antheridia in gametophyte.
- Transfer of antherozoids to the archegonia in presence of water.

Choose the correct answer from the options given below:

- (H) D, E, C, A, B (2) E, D, C, B, A (3) B, A, D, E, C, (4) B, A, E, C, D,
- The blue and white selectable markers have 147 been developed which differentiate recombinant colonies from non-recombinant colonies on the basis of their ability to produce colour in the presence of a chromogenic substrate.

Given below are two statements about this method:

Statement I: The blue coloured colonies have DNA insert in the plasmid and they are identified as recombinant colonies.

Statement II: The colonies without blue colour have DNA insert in the plasmid and are identified as recombinant colonies.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but Statement II ANS.2 is incorrect
- (2) Statement I is incorrect but Statement II is correct
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect

- 148 Which of the following microbes is NOT involved in the preparation of household products?
 - A. Aspergillus niger
 - B. Lactobacillus [1]
 - C. Trichoderma polysporum
 - Saccharomyces cerevisiae-
 - Propionibacterium sharmanii

Choose the correct answer from the options given below:

- (1) C and D only
- (2) C and E onlyx

(3) A and B only

A and C only

- 149 Silencing of specific mRNA is possible via RNAi because of -
 - (1) Complementary tRNA
 - (2) Non-complementary ssRNA
 - (3) Complementary dsRNA
 - (4) Inhibitory ssRNA
- The complex(IDof mitochondrial electron 150 transport chain is also known as
 - (1) Cytochrome c oxidase
 - (2) NADH dehydrogenase
 - (3) Cytochrome bc
 - (4) Succinate dehydrogenase
- While trying to find out the characteristic of a 151 newly found animal, a researcher did the histology of adult animal and observed a cavity with presence of mesodermal tissue towards the body wall but no mesodermal tissue was observed towards the alimentary canal. What could be the possible coelome of that animal?
 - (1) Schizocoelomate
 - (2) Spongocoelomate
 - (3) Acoelomate

ANS.4

Pseudocoelomate

Given below are two statements: 152

Statement I: In a floral formula

stands for zygomorphic nature of the flower, and G stands for inferior ovary.

Statement II: In a floral formula ⊕ stands for actinomorphic nature of the flower and G stands for superior ovary.

In the light of the above statements, choose the correct answer from the options given below:

- Statement I is correct but Statement II is incorrect
- Statement I is incorrect but Statement II is correct ANS.2
- (3) Both Statement I and Statement II are correct
- (4) Both Statement T and Statement II are incorrect N 10
- Given below are two statements: 153

Statement I: In ecosystem, there is unidirectional flowrof energy of sun from producers to consumers.

Statement II: Ecosystems are exempted from 2nd law of thermodynamics.

In the light of the above statements, choose the most appropriate answer from the options given below: ANS.1


- Statement I is correct but statement II W is incorrect
- (2) Statement I is incorrect but statement II is correct
- (3) Both statement I and statement II are correct
- (4) Both statement I and statement II are incorrect
- Which of the following is the unit of 154 productivity of an Ecosystem?
 - (1) KCal m⁻³

(2) (KCal m⁻²)yr

ANS.2

- (4) KCal m⁻²

With the help of given pedigree, find out the 155 probability for the birth of a child having (no disease and being a carrier (has the disease mutation in one allele of the gene) in F₃ generation.



- Unaffected male
- Affected male
- Carrier female
- Unaffected female
- Affected female

ANS.3

- (1) 1/8
- (2) Zero
- (3) 1/4
- (4) 1/2
- In the seeds of cereals the outer covering of endosperm separates the embryo by a proteinrich layer called:
 - (1) Integument

- (2) Aleurone layer
- (3) Coleoptile
- (4) Coleorhiza
- Match List I with List II:

List I

List II

- A. Chlorophyll a
- Yellow-green
- Chlorophyll b
- Yellow II.
- C. Xanthophylls
- Blue-green III.
- IV. Yellow to
- Carotenoids

Yellow-orange

Choose the option with all correct matches.

- (1) A-I, B-II, C-IV, D-III
- (2) A-I, B-IV, C-III, D-II
- A-III, B-IV, C-II, D-I
- (4) A-III, B-1, C-II, D-IV

- Who proposed that the genetic code for amino 158 acids should be made up of three nucleotides?
 - (1) Jacque Monod

Franklin Stahl

(3) George Gamow (4) Francis Crick

M

C-11

15

T

- Histones are enriched with -159
 - (1) Phenylalanine & Leucine
 - Phenylalanine & Arginine
 - Lysine & Arginine ANS.3
 - (4) Leucine & Lysine
- Which of the following enzyme(s) are NOT essential for gene cloning?
 - Restriction enzymes
- O 157
 - B. C. DNA mutase
- なかけ 10
- D. DNA recombinase

DNA ligase

DNA polymerase

Choose the correct answer from the options given below:

- (1) D and E only
- (2) B and C only
- (3) C and D only
- (4) A and B onlyx
- A specialised membranous structure in a prokaryotic cell which helps in cell wall formation, DNA replication and respiration is:
- (1) Cristae

161

27

- Endoplasmic Reticulum
- (3) Mesosome
- (4) Chromatophores


1 -


- Which factor is important for termination of 162 transcription?
 - (**1**) ρ (rho)
- (2) γ (gamma)
- (3) α (alpha)
- (4) σ (sigma)

ANS.1

[Contd...

- Which of the following statement is correct about location of the male frog copulatory pad?
 - (1) Second digit of fore limb ANS.2
 - First digit of the fore limb
 - (3) First and Second digit of fore limb
 - (4) First digit of hind limb
- Which of the following diagrams is correct with regard to the proximal (P) and distal (D) tubule of the Nephron.





- 165 Identify the statement that is NOT correct.
 - Antigen binding site is located at C-terminal region of antibody molecules.
 - (2) Constant region of heavy and light chains are located at C-terminus of antibody molecules. ANS.1
 - (3) Each antibody has two light and two heavy chains.
 - (4) The heavy and light chains are held together by disulfide bonds.

166 Match List I with List II:

List I

List II

- A. Scutellum
- Persistent nucellus
- B. Non-albuminous seed
- II. Cotyledon of

 Monocot seed
- C. Epiblast
- III. Groundnut
- D. Perisperm
- IV. Rudimentary cotyledon

Choose the option with all correct matches.

- (1) A-IV, B-III, C-I, D-IK
- (2) A-II, B-IV, C-III, D-I ANS.3
- (3) A-II, B-III, G-IV, D-I
- (4) A-IV, B-III, C-II, D-IX
- Find the statement that is NOT correct with regard to the structure of monocot stem
 - (1) Vascular bundles are conjoint and closed.
 - (2) Phloem parenchyma is absent. ANS.3
 - (3) Hypodermis is parenchymatous.
 - (4) Vascular bundles are scattered.
- 168 Twins are born to a family that lives next door to you. The twins are a boy and a girl. Which of the following must be true?
 - (1) They were conceived through in vitro fertilization. ANS.4
 - (2) They have 75% identical genetic content.
 - (3) They are monozygotic twins.
 - (4) They are fraternal twins.
- 169 Sweet potato and potato represent a certain type of evolution. Select the correct combination of terms to explain the evolution.
 - (1) Homology, convergent
 - (2) Analogy, divergent
- ANS.3
- Analogy, convergent
 - (4) Homology, divergent

- 170 Which one of the following phytohormones promotes nutrient mobilization which helps in the delay of leaf senescence in plants?
 - (1) Gibberellin

(2) Cytokinin ANS.2

- (3) Ethylene
- (4) Abscisic acid
- Why can't insulin be given orally to diabetic patients?
 - (1) Because of structural variation
 - (2) Its bioavailability will be increased
 - (3) Human body will elicit strong immune response ANS.4
 - (4) It will be digested in Gastro-Intestinal (GI) tract
- 172 Name the class of enzyme that usually catalyze the following reaction:

 $S-G+S^{\#} \rightarrow S+S^{\#}+G$

Where, $G \rightarrow a$ group other than hydrogen

 $S \rightarrow a$ substrate

 $S^{\#} \rightarrow another substrate ANS.1$

- Transferase
- (2) Ligase
- Hydrolase
- 173 Given below are two statements:

Statement I: The DNA fragments extracted from gel electrophoresis can be used in construction of recombinant DNA.

Statement II: Smaller size DNA fragments are observed near anode while larger fragments are found near the wells in an agarose gel.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but statement II is incorrect
- (2) Statement I is incorrect but statement II ANS.3 is correct
- (3) Both statement I and statement II are correct
- (4) Both statement I and statement II are incorrect

- The correct sequence of events in the life cycle 174 of bryophytes is
 - Fusion of antherozoid with egg.
 - Attachment of gametophyte to substratum.
 - Reduction division to produce haploid C. spores.
 - Formation of sporophyte.
 - Release of antherozoids into water.

Choose the correct answer from the options given below: ANS.1

- (1) B, E, A, D, C.
- (2) D, E, A, B, C
- (3) D, E, A, C, B
- (4) B, E, A, C, D
- Genes R and Y follow independent assortment. 175 If RRYY produce round yellow seeds and rryy produce wrinkled green seeds, what will be the phenotypic ratio of the F2 generation?

Phenotypic ratio - 9:3:3:1

- (2) Phenotypic ratio 9:7
- (3) Phenotypic ratio 1:2:1
- (4) Phenotypic ratio 3:1
- Each of the following characteristics represent 176 a Kingdom proposed by Whittaker. Arrange the following in increasing order of complexity of body organization.
 - Multicellular heterotrophs with cell wall made of chitin.
 - Heterotrophs with tissue/organ/organ system level of body organization.
 - C. Prokaryotes with cell wall made of polysaccharides and amino acids.
 - Eukaryotic autotrophs with tissue/organ level of body organization.
 - Eukaryotes with cellular body organization.

Choose the correct answer from the options given below: 10

- (1) A, C, E, D, B \bowtie
- ANS.4 (2) C, E, A, B, D
- (3) A, C, E, B, DXAnton
- (4) C, E, A, D, B

- Match List I with List II.
 - List I

List - II

- Centromere
- Mitochondrion
- Cilium 11)
- II. Cell division
- C. Cristae
- III. Cell movement
- - Cell membrane IV. Phospholipid

Bilayer

Choose the correct answer from the options given below:

(I) A-IV, B-II, C-III, D-I

- A-II, B-III, C-I, D-IV
- (3) A-I, B-II, C-III, D-IV
- (4) A-II, B-I, C-IV, D-III
- 178 Which one of the following equations represents the Verhulst-Pearl Logistic Growth of population?

(1)
$$\frac{dN}{dt} = rN\left(\frac{N-K}{N}\right)$$

- - ANS.4

Match List - I with List - II. 179

List - I

List - II

body fluid

- Rapid spasms in muscle A. Emphysema due to low Ca++ in
- II. Dåmaged alveolar B. Angina walls and decreased **Pectoris** respiratory surface
- III. Acute chest pain when C. Glomerulonot enough oxygen nephritis is reaching to heart muscle
- IV. Inflammation of D. Tetany glomeruli of kidney

Choose the correct answer from the options given below:

(1) A-II, B-IV, C-III, D-I

ANS.2

- (2) A-II, B-III, C-IV, D-I
- (3) A-III, B-I, C-IV, D-II
- (4) A-III, B-I, C-II, D-IV
- 180 Cardiac activities of the heart are regulated by:
 - A. Nodal tissue
 - A special neural centre in the medulla oblongata -> Rhyth.
 - S. Adrenal medullary hormones
 - D. Adrenal cortical hormones A

Choose the correct answer from the options given below:

- (1) A, C and D Only
- (2) A, B and D Only
- (3) A, B and C Only
- (4) A, B, C and D ANS.3 or 4